




平成11年\_9月24日 提出日 1/ 127

整理番号=2031210002


【図1】



[FIG. 1]

- MEDIA CONTENT G
- CONTEXT DESCRIPTION DATA 101 THE SELECTION STEP 102 THE EXTRACTION STEP
- SELECTION SEGMENT





?

FIG. 3

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

<!ELEMENT contents (section+)> <!ATTLIST contents contents-id CDATA #REQUIRED title CDATA #REQUIRED runtime **NMTOKEN** #REQUIRED> <!ELEMENT section (section+|segment+)> <!ATTLIST section caption CDATA **#IMPLIED NMTOKEN** priority. #REQUIRED> EMPTY> <!ELEMENT segment <!ATTLIST CDATA #REQUIRED segment start CDATA #REQUIRED end priority **NMTOKEN** #REQUIRED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.m</pre>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m01.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"
priority="5">

<section priority="1">

<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" p
riority="1"/>

<segment start="smpte=00:00:04:18" end="smpte=00:00:09:08" p
riority="1"/>

</section>

<section priority="2">

<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"</pre>

· A Share Francisco

```
priority="2"/>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p</pre>
riority="3"/>
    </section>
    <section priority="1">
    <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p</pre>
riority="1"/>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p</pre>
riority="3"/>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p</pre>
riority="3"/>
       <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p</pre>
riority="3"/>
    </section>
    <section priority="2">
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p</pre>
riority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p</pre>
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p</pre>
riority="2"/>
    </section>
    <section priority="4">
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p</pre>
riority="4"/>
    </section>
    <section priority="2">
       <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"</pre>
```

· An Spirit Spirit Spirit

```
priority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p</pre>
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p</pre>
riority="2"/>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p</pre>
riority="2"/>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p</pre>
riority="2"/>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p</pre>
riority="3"/>
    </section>
    <section priority="1">
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</pre>
riority="1"/>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14" p</pre>
riority="1"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p</pre>
riority="2"/>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p</pre>
riority="2"/>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p</pre>
riority="2"/>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p</pre>
riority="2"/>
       <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p</pre>
riority="2"/>
       <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p</pre>
riority="2"/>
    </section>
```

Company of the second

```
<section priority="3">
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p</pre>
riority="3"/>
    </section>
    <section priority="4">
       <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p</pre>
riority="4"/>
       <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p</pre>
riority="4"/>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
riority="4"/>
    </section>
    <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p</pre>
riority="5"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p</pre>
riority="5"/>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p</pre>
riority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p</pre>
riority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p</pre>
riority="4"/>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p</pre>
riority="4"/>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p</pre>
riority="3"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p</pre>
riority="4"/>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"</pre>
```

Contraction of the second

```
FIG. 7
priority="4"/>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p</pre>
riority="4"/>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p</pre>
riority="4"/>
       <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p</pre>
riority="4"/>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p</pre>
riority="4"/>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</pre>
 priority="4">
    <section priority="4">
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p</pre>
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p</pre>
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p</pre>
riority="1"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p</pre>
riority="2"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p</pre>
riority="2"/>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p</pre>
riority="2"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p</pre>
riority="2"/>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p</pre>
riority="2"/>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
riority="2"/>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27"</pre>
```

```
priority="2"/>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p</pre>
riority="2"/>
    </section>
    <section priority="3">
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p</pre>
riority="3"/>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p</pre>
riority="3"/>
    </section>
    <section priority="4">
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p</p>
riority="4"/>
    </section>
    <section priority="5">
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p</pre>
riority="5"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p</pre>
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p</pre>
riority="3"/>
      <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p</pre>
riority="3"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p</pre>
riority="4"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p</pre>
riority="3"/>
    </section>
```

1. All the form

FIG. 10

# FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

Ĭ

<?xml version="1.0"?>

ELEMENT</th <th>contents</th> <th>(section+)&gt;</th> <th></th> <th></th>	contents	(section+)>			
ATTLIST</td <td>contents</td> <td>contents-id</td> <td>CDATA</td> <td>#REQUIRED</td>	contents	contents-id	CDATA	#REQUIRED	
		title .	CDATA	#REQUIRED	
		runtime	NMTOKEN	#REQUIRED>	
ELEMENT</td <td>section</td> <td colspan="3">(section+ segment+)&gt;</td>	section	(section+ segment+)>			
ATTLIST</td <td>section</td> <td>section-id</td> <td>CDATA</td> <td>#REQUIRED</td>	section	section-id	CDATA	#REQUIRED	
		caption	CDATA	#IMPLIED	
		priority	NMTOKEN	#REQUIRED>	
ELEMENT</td <td>segment</td> <td colspan="4">segment (dominant-data*)&gt;</td>	segment	segment (dominant-data*)>			
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED	
		end	CDATA	#REQUIRED	
		priority -	NMTOKEN	#REQUIRED>	
ELEMENT</td <td>dominant-dat</td> <td>a EMPTY&gt;</td> <td></td> <td></td>	dominant-dat	a EMPTY>			
ATTLIST</td <td>dominant-dat</td> <td>a frame-no</td> <td>NMTOKEN</td> <td>#IMPLIED</td>	dominant-dat	a frame-no	NMTOKEN	#IMPLIED	
•		start	CDATA	#IMPLIED	
		end	CDATA	#IMPLIED	
•		locator	CDATA	#IMPLIED>	

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m03.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"
priority="5">

<section priority="1">

<segment start="smpte=00:00:00:00" end="smpte=00:00:04:17" p
riority="1">

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi f"/>

<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m
p3"/>

<segment start="smpte=00:00:04:18" end="smpte=00:00:09:08" p
riority="1">

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi
f"/>

Company of the Company

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m</pre>
p3"/>
       </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03,m</p>
p3"/>
       </segment>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m</pre>
p3"/>
       </segment>
    </section>
     <section priority="1">
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p</pre>
riority="1">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m"</pre>
p3"/>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi"</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m"</pre>
p3"/>
```

•

```
<segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p</pre>
riority="3">
         <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
35:05"/>
       </segment>
    </section>
    <section priority="2">
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m"</pre>
p3"/>
    </section>
    <section priority="3">
       <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p</pre>
riority="3">
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
       </segment>
    </section>
    <section priority="2">
       <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p</p>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="2">
       <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20" p</pre>
         <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
```

1 Brown

```
</segment>
    </section>
     <section priority="3">
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26" p</p>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m</pre>
p3"/>
       </segment>
    </section>
     <section priority="2">
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m</p>
</"<pre>$
       </segment>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16" p</pre>
riority="2">
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
       </segment>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m"</pre>
</"Sq
       </segment>
       <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18" p</pre>
riority="3">
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
      </segment>
    </section>
    <section priority="1">
       <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03" p</pre>
riority="1">
         <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
48:02"/>
       </segment>
       <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"</pre>
```

The state of the s

```
FIG. 14
priority="1">
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
    <section priority="2">
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28" p</pre>
riority="2">
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28" p</pre>
         <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15" p</pre>
         <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
25:02"/>
      </segment>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00" p</pre>
riority="2">
        <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
      </segment>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14" p</pre>
riority="2">
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27" p</pre>
riority="2">
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
      </segment>
    </section>
    <section priority="3">
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m</pre>
p3"/>
```

1 A mary grant

```
</segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m"</pre>
p3"/>
       </segment>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05" p</pre>
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m</pre>
p3"/>
       </segment>
     </section>
     <section priority="5">
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02" p</pre>
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06" p
riority="4">
```

· Aller

```
FIG. 16
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m"</pre>
p3"/>
       </segment>
     </section>
     <section priority="2">
       <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16" p</pre>
riority="2">
          <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
02:20"/>
       </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
</"Sq
       </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01" p</pre>
riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m"</p>
p3"/>
       </seament>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21" p</pre>
riority="3">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi"</pre>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15" p</pre>
riority="4">
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</pre>
f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27" p</pre>
```

riority="4">

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15" p</pre>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m"</p>
<\"8a
      </segment>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04" p</pre>
riority="4">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
       </segment>
       <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04" p</pre>
riority="4">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
       </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER 3"</p>
 priority="4">
    <section priority="4">
       <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24" p</pre>
riority="4">
         <dominant-data: locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi"</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21" p</pre>
riority="3">
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m"</p>
</"Eq
       </segment>
    </section>
    <section priority="2">
       <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26" p</pre>
riority="1">
         <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
       </segment>
       <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02" p</pre>
riority="2">
         <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
       </seament>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21" p</pre>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m"</pre>
p3"/>
      </segment>
       <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m"</pre>
p3"/>
      </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi"</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m</pre>
p3"/>
```

Company of the

```
</segment>
       <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m"</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20" p</pre>
riority="2">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi"</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m"</pre>
p3"/>
       </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</pre>
f"/>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</pre>
p3"/>
       </segment>
    </section>
    <section priority="5">
       <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11" p</pre>
riority="5">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="4">
       <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m</pre>
p3"/>
       </segment>
    </section>
     <section priority="3">
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m</p>
p3"/>
       </segment>
     </section>
     <section priority="4">
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17" p</pre>
riority="4">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.</p>
```

A STATE OF THE


```
FIG. 21-
mp3"/>
       </segment>
    </section>
    <section priority="3">
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17" p</pre>
riority="3">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m"</pre>
p3"/>
       </segment>
    </section>
    <section priority="1">
       <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29" pr</pre>
iority="1">
         <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
       </segment>
    </section>
  </section>
</contents>
```

ï

```
【図2
     mp3"/>
            </segment>
         </section>
         <section priority="3">
           <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17"</pre>
    priority="3">
              <dominant-data lecator="http://mserytfl.mei.co.jp/DMV/dmp45.</p>
    gif"/>
              <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.</pre>
    mp3"/>
           </segment>
         </section>
         <section priority="1";
           <segment start_smpte=00:11:28:18" end="smpte=00:11:41:29"</pre>
    priority="1">
             <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:</pre>
    21"/>
           </segment>
         </section>
       </section>
    </contents>
```


[図22]

Fig. 22



頁: 22/127

[図23]



[FIG. 23] CHILD S1 EXTRACT LEFT-MOST ELEMENT <section> HAVING &LICCESSOR <segment> S2 DOES PRIORITY VALUE OF THE EXTRACTED ELEMENT < section> EXCEED THRESHOLD VALUE? S3 EXAMINE ALL SUCCESSORS (segment) OF THE ELEMENT (section), AND OUTPUT START TIME AND END TIME OF THE ELEMENT <section> CHILPREN S4 EXTRACT NEXT ELEMENT <section> HAVING SUCCESSOR <segment>

S5 IS THERE NO CORRESPONDING ELEMENT <section>?

「図24】

Fig. 24

選択区間


ジディア
コンテンツ
分離手段

オーディオ
スキミング手段
オーディオ
スキミング手段
オーディオ
スキミング手段
オーディオ
スキミング手段
オーディオ
スキミング手段
オーディオ
スキミング手段
カーディオ
データ


図訳区間

[FIG. 24]

- MEDIA CONTENT DEMOLTIPLEX 601 SEPARATION MEANS
- 5 VIDEO DATA
  - C AUDIO DATA
  - L SELECTION SEGMENT
    602 VIDEO SKIMMING MEANS
    603 AUDIO SKIMMING MEANS
  - d SELECTION SEGMENT
  - e VIDEO DATA
  - う AUDIO DATA



- S1 ACQUIRE HEADER DATA FROM HEAD PACK
- S2 ACQUIRE DATA FROM SYSTEM HEADER
- S3 ENSURE DATA LOCATIONS FOR STORING VIDEO STREAM WHICH IS EQUAL IN NUMBER TO VIDEO CHANNELS
- S4 ENSURE DATA LOCATIONS FOR STORING AUDIO STREAM WHICH IS EQUAL IN NUMBER TO AUDIO CHANNELS
- S5 ACQUIRE DATA FROM HEADER PACKET
- S6 ACQUIRE STREAM ID, AND STREAM DATA WITHIN PACKET
- S7 CLASSIFY STREAM DATA ACCORDING TO STREAM ID, AND ADDITIONALLY WRITE STREAM DATA INTO CORRESPONDING LOCATION
- S8 ACQUIRE NEXT
- S9 END OF DATA
- S10 DO DATA CORRESPOND TO PACK HEADER?
- S11 OUTPUT DATA FOR EACH STREAM



S1 ACQUIRE SELECTION SEGMENT

S2 ACQUIRE VIDEO STREAM DATA

S4 DOES HEAD OF STREAM DATA CORRESPOND TO SEQUENCE HEADER?

S5 OUTPUT DATA PERTAINING TO SEQUENCE HEADER, AND RESERVE THE DATA INTO MEMORY LOCATION

S6 ACQUIRE NEXT DATA FROM STREAM

S7 END OF DATA?

S8 DO DATA CORRESPOND TO SEQUENCE HEADER?

S9 DO DATA CORRESPOND TO HEADER OF GOP LAYER?

S10 ACQUIRE TIME CODE OF GOP

S11 IS GOP LOCATED WITHIN SELECTION SEGMENT?

\$12 CHANGE TIME CODE


S13 OUTPUT ALL DATA UP TO NEXT GOP OR SEQUENCE HEADER, ADD NUMBER OF OUTPUT FRAMES TO COUNTER


S14 COMPARE RESERVED SEQUENCE HEADER AND DATA

S15 ARE DATA IDENTICAL WITH SEQUENCE HEADER, EXCEPT FOR QUANTIZATION MATRIX?

S16 ARE THERE NEXT STREAM DATA?

[\(\mathbb{Z}\) 7] Fig. 27






[FIG. 27]

- a SEQUENCE LAYER
- ) GOP LAYER
- C PICTURE LAYER
- d SLICE LAYER
- P MACRO BLOCK LAYER
- **∮** BLOCK LAYER
- 9 SLICE
- / BLOCK
- ¿ MACRO BLOCK

A Branch State



「図29]

D

エラーチェックビット

C

ヘッダ

イーディオデータ

データ

アンシラリー
データ

1フレーム= \*\*\*\* (固定サンブル数) ×ビットレート/サンブリング周波数[ビット]

[FIG. 28]

S1 ACQUIRE SELECTION SEGMENT

S2 INPUT AUDIO STREAM DATA

S3 CALCULATE TIME Tu REQUIRED FOR PLAYING BACK SINGLE AAU

S5 ACQUIRE DATA PERTAINING SINGLE AAU FROM AUDIO STREAM

S6 END OF DATA?

S8 DOES To LOCATE WITHIN SELECTION SEGMENT?

S9 OUTPUT DATA PERTAINING TO ACQUIRED AAU

S11 ARE THERE NEXT STREAM DATA?

[FIG. 29]

d HEADER

ERROR CHECK BIT

AUDIO DATA

( UNSERIALLY DATA

e single frame = (number of fixed samples) X bit rate/sampling frequency (bit)






Fig. 3



[FIG. 30]

- **q** MEDIA CONTENT
- CONTEXT DESCRIPTION DATA
  101 THE SELECTION STEP
  102 THE EXTRACTION STEP
  VIDEO DATA
  AUDIO DATA
  VIDEO PLAYBACK MEANS
  AUDIO PLAYBACK MEANS





[FIG. 32]

S1 ACQUIRE LEFTMOST ELEMENT <segment>

S2 CALCULATE ARITHMETIC MEAN pa OF PRIORITY VALUES OF ELEMENTS FROM <segment> TO


ANCESTOR <section> OF THE HIGHEST HIERARCHICAL LEVEL


S3 DOES pa EXCEED THRESHOLD VALUE?

S4 OUTPUT VALUES RELATING TO "start" AND "end" OF ELEMENT <segment>

S5 ACQUIRE NEXT ELEMENT < segment>

S6 DOES THERE <segment> EXIST ANY MORE?





[FIG. 33]

CHILDREN

S1 OBTAIN SET  $\Omega$  OF ELEMENTS < section> HAVING SUCCESSORS < segment>

S2 SORT ELEMENTS OF SET  $\Omega$  IN SEQUENCE OF PRIORITY

S5 ACQUIRE ELEMENT < section> HAVING HIGHEST PRIORITY FROM ELEMENTS IN SET  $\Omega$ CHILD


S6 CALCULATE START TIME "f" AND END TIME "t" OF ELEMENT < section> FROM ITS SUCCESSOR < segment>

S8 IS Tc LOWER THAN THRESHOLD VALUE?

30 15 TO LOVALIN THAIR THINE


S9 OUTPUT "f" AND "t"

Fig. 34




•

s.delige.000



Let out this



CHILDREN [FIG. 35] S1 SEEK SET Ω OF ELEMENTS <section> HAVING SUCCESSOR'S <segment>

S2 SORT ELEMENTS OF SET  $\Omega$  IN SEQUENCE OF PRIORITY

S5 ACQUIRE ELEMENT <section> HAVING HIGHEST PRIORITY FROM ELEMENTS IN SET  $\Omega$ 

S6 CALCULATE START TIME "I" AND END TIME "t" OF ELEMENT <section> FROM SUCCESSOR

<segment> OF THE ELEMENT <section>

S7 ADD ACQUIRED <section> TO SET Q'

S9 Tc: THRESHOLD VALUE

S10 OUTPUT DATA SETS RELATING TO START TIME AND END TIME OF ALL ELEMENTS <section> OF SET  $\Omega'$ 

S11 SELECT ELEMENT < section > HAVING MINIMUM PRIORITY FROM SET  $\Omega'$ CHILD STILL SUCCESSOR < segment > HAVING MINIMUM PRIORITY FROM AMONG SUCCESSORS OF


SELECTED ELEMENTS <section> S13 DURATION OF ELEMENT <section> FROM WHICH TC IS DELETED

S14 IS To LOWER THAN THRESHOLD VALUE?

提出日

**超過63%** 

1000 Mil.





[FIG. 36]

- 1805 DATABASE

  MEDIA CONTENT, PHYSICAL DESCRIPTION DATA
- CONTEXT DESCRIPTION DATA
  - 1801 THE SELECTION STEP
  - 1802 THE EXTRACTION STEP
  - 1803 THE FORMATION STEP
  - 1804 THE DELIVERY STEP

【図37】





## ONE EXAMPLE OF DTD USED FOR DESCRIBING STRUCTURE DE SCRIPTION DATA

<?xml version="1.0"?>

<!ENTITY % types "(audio|video|audiovideo)">

<!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg

2-ps|mpeg2-ts|mpeg2-video)">

<!ELEMENT contents

(mediaobject+)>

<!ATTLIST contents

contents-id CDATA

#REQUIRED

title runtime CDATA #
NMTOKEN #

#REQUIRED>

<!ELEMENT mediaobject EMPTY>

VIPTY> CDATA

#REQUIRED

<!ATTLIST mediaobject id

%types;

"audiovideo"

format

type

%formats; NMTOKEN

#REQUIRED

seq locator

CDATA

#REQUIRED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO PHYSICAL DE SCRIPTION DATA

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m06.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">

</contents>

The state of the s

## ONE EXAMPLE OF DTD USED FOR DESCRIBING CONTEXT DESCRIPTION DATA

<?xml version="1.0"?>

ELEMENT</th <th>contents</th> <th colspan="3">(mediaobject+)&gt;</th>	contents	(mediaobject+)>			
ATTLIST</td <td>contents</td> <td>contents-id</td> <td>CDATA</td> <td>#REQUIRED</td>	contents	contents-id	CDATA	#REQUIRED	
		title	CDATA	#REQUIRED	
•		runtime	NMTOKEN	#REQUIRED>	
ELEMENT</td <td>mediaobject</td> <td>(section+)&gt;</td> <td></td> <td></td>	mediaobject	(section+)>			
ATTLIST</td <td>mediaobject</td> <td>id</td> <td>CDATA</td> <td>#REQUIRED&gt;</td>	mediaobject	id	CDATA	#REQUIRED>	
ELEMENT</td <td>section</td> <td colspan="4">(section+ segment+)&gt;</td>	section	(section+ segment+)>			
ATTLIST</td <td>section</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED</td>	section	caption	CDATA	#IMPLIED	
		priority	NMTOKEN	#REQUIRED>	
ELEMENT</td <td>segment</td> <td>EMPTY&gt;</td> <td></td> <td></td>	segment	EMPTY>			
ATTLIST</td <td>segment</td> <td>start (</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start (	CDATA	#REQUIRED	
		end	CDATA	#REQUIRED	
		priority	NMTOKEN	#REQUIRED>	

## ONE EXAMPLE OF XML DOCUMENT RELATING TO STRUCTURE DESCRIPTION DATA

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m07.dtd">
```

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT</pre>

```
" priority="3"/>
      </section>
      <section priority="1">
         <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19"</pre>
priority="1"/>
      </section>
      <section priority="3">...
        <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10"</pre>
 priority="3"/>
         <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28"</pre>
 priority="3"/>
         <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11"</p>
 priority="3"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"</pre>
priority="2"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09"</pre>
priority="3"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28"</pre>
 priority="2"/>
      </section>
      <section priority="4">
         <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14"</pre>
 priority="4"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"</pre>
 priority="2"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26"</pre>
 priority="3"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09"</pre>
 priority="2"/>
         <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16"</pre>
 priority="2"/>
         <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09"</p>
 priority="2"/>
```

```
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18"</pre>
priority="3"/>
     </section>
     <section priority="1">
        <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03"</pre>
priority="1"/>
        <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14"</pre>
priority="1"/>
     </section>
     <section priority="2">
        <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28"</pre>
priority="2"/>
        <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28"</pre>
priority="2"/>
        <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15"</pre>
priority="2"/>
        <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00"</pre>
priority="2"/>
        <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14"</pre>
priority="2"/>
        <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27"</pre>
priority="2"/>
     </section>
     <section priority="3">
        <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01"</pre>
priority="3"/>
     </section>
     <section priority="4">
        <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05"</pre>
priority="4"/>
        <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28"</pre>
priority="4"/>
        <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06"</pre>
priority="4"/>
      </section>
      <section priority="5">
        <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05"</pre>
priority="5"/>
      </section>
      <section priority="5">
        <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02"</pre>
priority="5"/>
        <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06"</pre>
priority="4"/>
      </section>
```

A Star James

```
<section priority="2">
        <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16"</pre>
 priority="2"/>
      </section>
      <section priority="4">
        <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25"</pre>
 priority="4"/>
        <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01"</pre>
 priority="4"/>
         <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21"</pre>
 priority="3"/>
         <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15"</pre>
 priority="4"/>
         <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27"</pre>
 priority="4"/>
        <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15"</pre>
 priority="4"/>
         <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05"</pre>
 priority="4"/>
        <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04"</pre>
 priority="4"/>
        <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04"</pre>
 priority="4"/>
      </section>
    </section>
  </mediaobject>
  <mediaobject id="mobj-02">
    <section caption="SUMO WRESTLER 2 VS. SUMO WRESTLER</pre>
3" priority="4">
      <section priority="4">
         <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24"</p>
 priority="4"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21"</pre>
 priority="3"/>
      </section>
      <section priority="2">
         <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26"</pre>
 priority="1"/>
         <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02"</pre>
 priority="2"/>
         <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17"</pre>
 priority="2"/>
         <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21</pre>
```

A Bridge Street

```
" priority="2"/>
         <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02"</pre>
 priority="2"/>
         <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05"</pre>
 priority="2"/>
         <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06"</pre>
 priority="2"/>
         <segment start="smpte=00:02:29:07" end="smpte=00:02:45:27"</pre>
 priority="2"/>
         <segment start="smpte=00:02:45:28" end="smpte=00:02:49:20"</pre>
 priority="2"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26"</pre>
 priority="3"/>
         <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25"</pre>
 priority="3"/>
      </section>
      <section priority="4">
         <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27"</p>
 priority="4"/>
      </section>
      <section priority="5">
         <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11"</pre>
 priority="5"/>
     . </section>
      <section priority="4">
         <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27"</pre>
 priority="4"/>
      </section>
      <section priority="3">
         <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01"</pre>
 priority="3"/>
         <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21"</pre>
 priority="3"/>
      </section>
       <section priority="4">
         <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17"</p>
 priority="4"/>
       </section>
       <section priority="3">
         <segment start="smpte=00:04:23:18" end="smpte=00:05:10:17"</pre>
 priority="3"/>
       </section>
       <section priority="1">
```


#### FIG. 46

```
start="smpte=00:01:00:29"
                                         end="smpte=00:01:14:14"
id="mobj-01"
                                         end="smpte=00:05:02:06"
id="mobj-01"
              start="smpte=00:04:20:02"
                                         end="smpte=00:06:41:04"
              start="smpte=00:05:04:17"
id="mobj-01"
                                         end="smpte=00:00:42:24"
              start="smpte=00:00:00:00"
id="mobj-02"
              start="smpte=00:03:02:26"
                                         end="smpte=00:03:33:27"
id="mobj-02"
              start="smpte=00:03:54:22"
                                         end="smpte=00:04:23:17"
id="mobj-02"
```

#### FIG. 49

```
id="mobj-01"
start="smpte=00:01:00:29"
start="smpte=00:04:20:02"
start="smpte=00:05:04:17"
end="smpte=00:05:02:06"
end="smpte=00:05:02:06"
end="smpte=00:06:41:04"
end="smpte=00:06:41:04"
end="smpte=00:06:41:04"
end="smpte=00:06:41:04"
end="smpte=00:06:41:04"
end="smpte=00:03:33:27"
end="smpte=00:03:33:27"
end="smpte=00:03:33:27"
end="smpte=00:03:33:27"
```

9月24日頁: 43/127



[FIG. 47]

1805 DATABASE

2401 INTERFACE MEANS,

FRE SELECTION STEP DEHULTIPLEX 1801


2402 SEPARATION MEANS

2403 VIDEO SKIMMING MEANS

2404 AUDIO SKIMMING MEANS

44/ 127

【図48】



[FIG. 48]

S1 CONVERT OUTPUT FROM THE SELECTION STEP BY MEANS OF ID AND "start"

S2 INPUT DATA PERTAINING TO HEADER FILE FROM DATABASE DEHULTIPLEX
S3 OUTPUT DATA OF FILE TO SEPARATION MEANS 2402


S4 OUTPUT SELECTION SEGMENT OF CORRESPONDING FILE TO VIDEO SKIMMING MEANS 2403

AND AUDIO SKIMMING MEANS 2404

S5 HAVE ALL FILES BEEN SUBJECTED TO PROCESSING?

S6 ACQUIRE DATA FROM NEXT FILE

S7 AWAIT COMPLETION OF ANOTHER PROCESSING



[FIG. 50]

S1 ACQUIRE HEADER DATA FROM HEAD PACK

S2 ACQUIRE DATA FROM SYSTEM HEADER

S3 ENSURE DATA LOCATIONS FOR STORING VIDEO STREAM WHICH IS EQUAL IN NUMBER TO VIDEO CHANNELS

S4 ENSURE DATA LOCATIONS FOR STORING AUDIO STREAM WHICH IS EQUAL IN NUMBER TO **AUDIO CHANNELS** 

S5 ACQUIRE DATA FROM HEADER PACKET

S6 ACQUIRE STREAM ID AND STREAM DATA WITHIN PACKET

S7 CLASSIFY STREAM DATA ACCORDING TO STREAM ID, AND REWRITE STREAM DATA INTO CORRESPONDING LOCATION


**S8 ACQUIRE NEXT DATA** 

S9 END OF DATA

S10 DO DATA CORRESPOND TO PACK HEADER


S11 OUTPUT DATA FOR EACH STREAM

S12 REPORT COMPLETION OF PROCESSING



[FIG. 51]

- S1 ACQUIRE SELECTION SEGMENT
- S2 ACQUIRE VIDEO STREAM DATA
- S4 DOES HEAD OF STREAM DATA CORRESPOND TO SEQUENCE HEADER?
- S5 OUTPUT DATA PERTAINING TO SEQUENCE HEADER, AND RESERVE THE DATA INTO MEMORY LOCATION
- S6 ACQUIRE NEXT DATA FROM STREAM
- S7 END OF DATA?
- SB DO DATA CORRESPOND TO SEQUENCE HEADER?
- S9 DO DATA CORRESPOND TO HEADER OF GOP LAYER?
- S10 ACQUIRE TIME CODE OF GOP
- S11 IS GOP LOCATED WITHIN SELECTION SEGMENT?
- S12 CHANGE TIME CODE
- S13 OUTPUT ALL DATA UP TO NEXT GOP OR SEQUENCE HEADER, ADD NUMBER OF OUTPUT
- FRAMES TO COUNTER
- S14 COMPARE RESERVED SEQUENCE HEADER WITH DATA
- S15 ARE DATA IDENTICAL WITH SEQUENCE HEADER, EXCEPT FOR QUANTIZATION MATRIX?
- S16 ARE THERE NEXT STREAM DATA?
- S17 REPORT COMPLETION OF PROCESSING



[FIG. 52]

S1 ACQUIRE SELECTION SEGMENT

S2 INPUT AUDIO STREAM DATA

S3 CALCULATE TIME Tu REQUIRED FOR PLAYING BACK SINGLE AAU

S5 ACQUIRE DATA PERTAINING SINGLE AAU FROM AUDIO STREAM


S6 END OF DATA?

S8 IS To LOCATED WITHIN SELECTION SEGMENT?

59 OUTPUT DATA PERTAINING TO ACQUIRED AAU

S11 ARE THERE NEXT STREAM DATA?

S12 REPORT COMPLETION OF PROCESSING



Yes

S10\_\_\_

GOPのタイムコード取得 保存したシ のデータと比較 GOPは選択区間内か? ₹Yes マトリックス以外は No 次のGOPまたはシ すべて出力。出力したフレーム数をCに加算 error

[FIG. 53]

No

No

- S1 ACQUIRE SELECTION SEGMENT
- S2 ACQUIRE VIDEO STREAM DATA

No

タはGOP層ヘッダ?

Yes

- S4 DOES HEAD OF STREAM DATA CORRESPOND TO SEQUENCE HEADER?
- S5 OUTPUT DATA PERTAINING TO SEQUENCE HEADER, AND RESERVE THE DATA INTO MEMORY LOCATION

ストリームデータ 有り?

処理終了通知

end

₹Nο

.S17


- S6 ACQUIRE NEXT DATA FROM STREAM
- S7 END OF DATA?
- S8 DO DATA CORRESPOND TO SEQUENCE HEADER?
- S9 DO DATA CORRESPOND TO HEADER OF GOP LAYER?
- S10 ACQUIRE TIME CODE OF GOP
- S11 IS GOP LOCATED WITHIN SELECTION SEGMENT?
- S12 CHANGE TIME CODE
- \$13 OUTPUT ALL DATA UP TO NEXT GOP OR SEQUENCE HEADER, ADD NUMBER OF OUTPUT
- FRAMES TO COUNTER
- S14 COMPARE RESERVED SEQUENCE HEADER AND DATA
- \$15 ARE DATA IDENTICAL WITH SEQUENCE HEADER, EXCEPT FOR QUANTIZATION MATRIX?
- S16 ARE THERE NEXT STREAM DATA?
- S17 REPORT COMPLETION OF PROCESSING
- S18 DOES THE FILE CORRESPOND TO FIRST FILE?

(n

IJ


ľŲ






【図55】

Fig. 55



[図56]

Fig.56



[FIG. 54]

3105 DATABASE

- G MEDIA CONTENT, PHYSICAL DESCRIPTION DATA
- b CONTEXT DESCRIPTION DATA CONTEXT DESCRIPTION DATA

3101 THE SELECTION STEP

- SELECTION SEGMENT
  - 3102 THE EXTRACTION STEP
  - 3103 THE FORMATION STEP
  - 3104 THE DELIVERY STEP
- 人 TRAFFIC VOLUME OF LINE
  - e LINE

(FIG. 55)

- 3201 STREAM SELECTION MEANS
- 3202 MULTIPLEX MEANS
- THE FORMATION STEP
  - 3203 TRAFFIC VOLUME DETERMINATION MEANS
- 3204 DELIVERY MEANS
- Q THE FORMATION STEP
- b LINE

[FIG. 56]

- 4 CONTEXT DESCRIPTION DATA
- b MEDIA CONTENT
  - 3301 THE SELECTION STEP
  - 3302 THE EXTRACTION STEP
  - C. SELECTION SEGMENT

Mary Mary Comment

(keyword, priority)

start

end

(keyword, priority)

start


end

IJ

1.4

ľŲ

51/ 127



(keyword) priority)

start

end

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

```
(section+)>
<!ELEMENT contents
           contents
                       contents-id
                                   CDATA
                                               #REQUIRED
<!ATTLIST
                                   CDATA
                                               #REQUIRED
                       title
                       runtime
                                   NMTOKEN
                                               #REQUIRED>
                       (pointofview*, (section+|segment+))>
<!ELEMENT section
                                   CDATA
                                               #IMPLIED>
           section
                       caption
<!ATTLIST
                       (pointofview*)>
<!ELEMENT segment
                                               #REQUIRED
                       start
                                   CDATA
<!ATTLIST
           segment
                                   CDATA
                                               #REQUIRED>
                       end
                       EMPTY>
<!ELEMENT pointofview
                                   CDATA
                                               #REQUIRED
                       keyword
           pointofview
<!ATTLIST
                                   NMTOKEN
                                               #REQUIRED>
                       priority
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra</pre>
m02.dtd">
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre>
NAMENT" runtime="11:42">
  <section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1</p>
    <pointofview keyword="SUMO WRESTLER 0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER 1" priority="5"/>
    <section>
      <pointofview keyword="SUMO WRESTLER 4" priority="1"/>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
      </segment>
    </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER 0" priority="4"/>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
```

```
</segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 </segment>
 <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <pointofview keyword="SUMO WRESTLER0" priority="1"/>
 </seament>
 <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER4" priority="2"/>
 <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER4" priority="2"/>
 </segment>
 <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER4" priority="1"/>
 </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
```

The state of the s

```
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
 </segment>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  </segment>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

of the form

```
</segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="2"/>
 <sedment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER5" priority="2"/>
 <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

```
</segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  </segment>
  <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  </segment>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
 <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 </seament>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
 </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </seament>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
```

Company of the second

```
<pointofview keyword="VIDEO" priority="4"/>
     <pointofview keyword="SUMO WRESTLER0" priority="5"/>
     <pointofview keyword="SUMO WRESTLER1" priority="4"/>
   </seament>
   <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
     <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
     <pointofview keyword="SUMO WRESTLER1" priority="4"/>
   </segment>
  </section>
  <section>
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
   </segment>
   <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
   </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <section>
   <pointofview keyword="SUMO NAME" priority="4"/>
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
   <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
   </segment>
  </section>
  <section>
    <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

of Albania

```
<segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
  <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
```

Company of the

```
</segment>
 <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </seament>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
   <pointofview keyword="SUMO WRESTLER3" priority="5"/>
  </segment>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

· Company

</contents>

## 

,

FIG. 67

# ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

ELEMENT<br ATTLIST</th <th>contents contents</th> <th>(section+)&gt; contents-id title runtime</th> <th>CDATA CDATA NMTOKEN</th> <th>#REQUIRED #REQUIRED #REQUIRED&gt;</th>	contents contents	(section+)> contents-id title runtime	CDATA CDATA NMTOKEN	#REQUIRED #REQUIRED #REQUIRED>	
ELEMENT</td <td>section</td> <td>(pointofview*</td> <td>,(section+ seg</td> <td></td>	section	(pointofview*	,(section+ seg		
ATTLIST</td <td>section</td> <td>caption</td> <td>CDATA</td> <td>#IMPLIED&gt;</td>	section	caption	CDATA	#IMPLIED>	
ELEMENT</td <td>segment</td> <td colspan="4">(pointofview*,dominant-data)&gt;</td>	segment	(pointofview*,dominant-data)>			
ATTLIST</td <td>segment</td> <td>start</td> <td>CDATA</td> <td>#REQUIRED</td>	segment	start	CDATA	#REQUIRED	
	•	end	CDATA	#REQUIRED>	
ELEMENT</td <td>pointofview</td> <td>EMPTY&gt;</td> <td>•</td> <td></td>	pointofview	EMPTY>	•		
ATTLIST</td <td>pointofview</td> <td>keyword</td> <td>CDATA</td> <td>#REQUIRED</td>	pointofview	keyword	CDATA	#REQUIRED	
	,	priority	NMTOKEN	#REQUIRED>	
ELEMENT</td <td colspan="5">dominant-data EMPTY&gt;</td>	dominant-data EMPTY>				
ATTLIST</td <td colspan="2">dominant-data frame-no</td> <td>NMTOKEN</td> <td>#IMPLIED</td>	dominant-data frame-no		NMTOKEN	#IMPLIED	
		start	CDATA	#IMPLIED	
		end	CDATA	#IMPLIED	
		locator	CDATA	#IMPLIED>	

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m04.dtd">
```

locator="http://mserv.trl.mei.co.jp/DMA/dma01.mp3"/>

### FIG. 68 </segment> </section> <section> <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08"> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.mp3"/> </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="4"/> <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.mp3"/> </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER1" priority="3"/> <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19"> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER1" priority="3"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.mp3"/> </segment> <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19"> <pointofview keyword="SUMO WRESTLER0" priority="1"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.mp3"/> </segment> <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10"> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER1" priority="3"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.mp3"/>

### FIG. 69 </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER4" priority="2"/> <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28"> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER4" priority="2"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.mp3"/> </segment> <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11"> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER4" priority="1"/> <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:35:05"/> </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER1" priority="3"/> <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"> <pointofview keyword="SUMO WRESTLER0" priority="3"/> <pointofview keyword="SUMO WRESTLER1" priority="3"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gif"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.mp3"/> </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="4"/> <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09"> <pointofview keyword="SUMO WRESTLER0" priority="4"/> start="smpte=00:00:47:00" <dominant-data end="smpte=00:00:50:03"/> </segment> </section> <section> <pointofview keyword="SUMO WRESTLER0" priority="3"/>

<pointofview keyword="SUMO WRESTLER1" priority="3"/>

<segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>

The state of the s

```
<pointofview keyword="SUMO WRESTLER1" priority="3"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma09.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma10.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <pointofview keyword="SUMO WRESTLER1" priority="2"/>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
                           start="smpte=00:01:15:20"
                                                          end="smpte
        <dominant-data
=00:01:19:03"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS RECORD " priority="3"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma11.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

1 Brown

```
<pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="1"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma12.mp3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                            start="smpte=00:01:52:20"
                                                          end="smpte
        <dominant-data
=00:01:55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma13.mp3"/>
      </segment>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                                            start="smpte=00:02:31:20"
        <dominant-data
end="smpte=00:02:38:11"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="2"/>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
        <pointofview keyword="SUMO WRESTLER2" priority="2"/>
                                            start="smpte=00:02:47:25"
        <dominant-data
end="smpte=00:02:48:02"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER5" priority="2"/>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
        <pointofview keyword="SUMO WRESTLER5" priority="2"/>
                                            start="smpte=00:02:59:10"
        <dominant-data
end="smpte=00:03:02:12"/>
      </segment>
    </section>
    <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="3"/>
      <pointofview keyword="SUMO WRESTLER1" priority="3"/>
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
        <pointofview keyword="SUMO WRESTLER0" priority="3"/>
        <pointofview keyword="SUMO WRESTLER1" priority="3"/>
                          start="smpte=00:03:08:12"
                                                       end="smpte=
        <dominant-data
00:03:10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                          start="smpte=00:03:15:10"
                                                        end="smpte=
        <dominant-data
00:03:18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                          start="smpte=00:03:22:08"
                                                        end="smpte=
        <dominant-data
00:03:25:02"/>
      </seament>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                          start="smpte=00:03:35:09"
                                                       end="smpte=
        <dominant-data
00:03:38:21"/>
      </segment>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
                          start="smpte=00:03:48:00"
                                                        end="smpte=
00:03:51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                          start="smpte=00:03:59:02"
                                                        end="smpte=
        <dominant-data
00:04:01:07"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <pointofview keyword="SUMO WRESTLER1" priority="5"/>
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                          locator=http://mserv.trl.mei.co.jp/DMV/dmp14.
        <dominant-data
gif/>
                         locator="http://mserv.trl.mei.co.jp/DMA/dma14.
        <dominant-data
mp3"/>
```

1 from John

```
</segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma15.mp3"/>
      </seament>
      <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma16.mp3"/>
      </segment>
      <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma17.mp3"/>
      </segment>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma18.mp3"/>
      </segment>
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma19.mp3"/>
      </segment>
      <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="5"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp20.
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma20.
        <dominant-data
mp3"/>
      </segment>
```

The state of the s

```
FIG. 74
    </section>
    <section>
      <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
                           start="smpte=00:05:03:02"
                                                         end="smpte=
        <dominant-data
00:05:02:20"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="5"/>
      <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp21.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma21.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp22.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma22.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp23.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma23.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp24."
        <dominant-data
qif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma24.
        <dominant-data
mp3"/>
      </segment>
```

A Property of the second

```
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="5"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp25.
        <dominant-data
gif"/>
                         locator="http://mserv.trl.mei.co.jp/DMA/dma25.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp26.
        <dominant-data
gif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMA/dma26.
mp3"/>
      </segment>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER0" priority="4"/>
        <pointofview keyword="SUMO WRESTLER1" priority="4"/>
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp27.
        <dominant-data
gif"/>
                         locator="http://mserv.trl.mei.co.jp/DMA/dma27.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
                           start="smpte=00:06:18:25"
                                                        end="smpte=
        <dominant-data
00:06:20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
                           start="smpte=00:06:25:01"
                                                        end="smpte=
        <dominant-data
00:06:30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <section>
```

A Property of the second

```
<pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
        <pointofview keyword="SUMO NAME" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <pointofview keyword="SUMO WRESTLER3" priority="5"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma28.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="WIN-LOSS REORD" priority="3"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp29.
gif"/>
                         locator="http://mserv.trl.mei.co.jp/DMA/dma29.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER0" priority="2"/>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
        <pointofview keyword="SUMO WRESTLER0" priority="2"/>
                           start="smpte=00:07:16:05"
                                                        end="smpte=
        <dominant-data
00:07:18:23"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                           start="smpte=00:07:41:28"
                                                        end="smpte=
        <dominant-data
00:07:43:01"/>
      </segment>
    </section>
    <section>
```

A BOOK TO THE

```
<pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma30.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment.start="smpte=00:07:53:18" end="smpte=00:08:01:21">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gif"/>
        <dominant-data
locator="http://mserv.trl.mei.co.jp/DMA/dma31.mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp32.
gif"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMA/dma32...
mp3"/>
      </segment>
      <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp33.
gif"/>
                         locator="http://mserv.trl.mei.co.jp/DMA/dma33.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                         locator="http://mserv.trl.mei.co.jp/DMV/dmp34.
        <dominant-data
qif"/>
```

Company of the Comment of the Commen


```
locator="http://mserv.trl.mei.co.jp/DMA/dma34.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp35.
        <dominant-data
qif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma35.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp36.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma36.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp37.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma37.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp38.
        <dominant-data
qif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma38.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp39.
        <dominant-data
qif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma39.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
```

```
FIG. 79
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
        <pointofview keyword="SUMO WRESTLER3" priority="5"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp40.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma40.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
        <pointofview keyword="SUMO WRESTLER2" priority="5"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp41.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma41.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp42.
        <dominant-data
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma42.
        <dominant-data
mp3"/>
      </segment>
      <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp43.
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma43.
        <dominant-data
mp3"/>
      </segment>
    </section>
    <section>
      <pointofview keyword="VIDEO" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="4"/>
      <pointofview keyword="SUMO WRESTLER3" priority="4"/>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <pointofview keyword="VIDEO" priority="4"/>
        <pointofview keyword="SUMO WRESTLER2" priority="4"/>
        <pointofview keyword="SUMO WRESTLER3" priority="4"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp44.
gif"/>
                          locator="http://mserv.trl.mei.co.jp/DMA/dma44.
        <dominant-data
mp3"/>
      </segment>
```

A Property of the second

```
</section>
    <section>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
                          locator="http://mserv.trl.mei.co.jp/DMV/dmp45.
        <dominant-data
gif"/>
        <dominant-data
                          locator="http://mserv.trl.mei.co.jp/DMA/dma45.
mp3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
                            start="smpte=00:11:29:13"
        <dominant-data
                                                         end="smpte=
11:32:21"/>
      </segment>
    </section>
  </section>
</contents>
```

1 Brown John



STACQUIRE LEFTMOST ELEMENT < Section > HAVING SUCCESSORS < Segment > SEGMENT < SECTION > HAVING SUCCESSORS < SEGMENT > SECTION > HAVING SUCCESSORS < SEGMENT > SECTION > SECTION

S11 IS THERE NO CORRESPONDING ELEMENT?

9月24日 : 76/127 提出日 平成11年 整理番号=2031210002 Fig. 82 [図82] 抽出ステップ 文脈内容

[FIG. 82]

Q MEDIA CONTENT

CONTEXT DESCRIPTION DATA 3301 THE SELECTION STEP 3302 THE EXTRACTION STEP


VIDEO PLAYBACK MEANS

AUDIO PLAYBACK MEANS

The state of the s


1001-040-04

[1283] Fig. 83



#### [FIG. 83]

- S1 ACQUIRE LEFTMOST ELEMENT <segment>
- S2 DOES KEYWORD OF ACQUIRED ELEMENT <segment> INCLUDE RETRIEVAL KEY?
- S3 DOES PRIORITY OF KEYWORD EXCEED THRESHOLD VALUE?
- S4 OUTPUT VALUES OF "start" AND "end" OF ELEMENT <segment>
- S5 EXTRACT NEXT ELEMENT <segment>
- S6 IS THERE NO CORRESPONDING ELEMENT?



[FIG. 84] CHILDREN S1 SEEK SET Ω OF ELEMENTS <section> OF ELEMENTS <şection> HAVING <del>\$UCCESSOR\$</del> <segment> S3 SORT ELEMENTS OF SET Ω IN SEQUENCE OF PRIORITY

S5 ACQUIRE ELEMENT <section> HAVING HIGHEST PRIORITY FROM ELEMENTS IN SET  $\Omega$ 

CHILDREN
S6 DELETE \$UCCESSORS <segment> OF EXTRACTED ELEMENTS <section> WHOSE KEYWORDS DO NOT INCLUDE RETRIEVAL KEY

S7 ADD ELEMENTS <section> THAT ARE SUBJECTED TO PROCESSING TO SET  $\Omega'$ 

S8 CALCULATE TOTAL AMOUNT OF DURATION PERIODS OF SCENES OF SET  $\Omega$ 

59 TOTAL AMOUNT OF DURATION PERIODS: THRESHOLD VALUE

DELETE \$\text{\text{buckerson}} \text{ <segment> WHOSE RETRIEVAL KEYS HAVING MINIMUM PRIORITY FROM AMONG BUCCESSORS IN SET Ω'

S12 CALCULATE TOTAL AMOUNT OF DURATION PERIODS OF SCENES OF SET  $\Omega'$ 


\$13 IS TOTAL AMOUNT OF DURATION PERIODS LOWER THAN THRESHOLD VALUE?

S14 OUTPUT DATA SETS RELATING TO START TIME AND END TIME OF ALL ELEMENTS <section> OF SET Ω'

整理番号—20312100

【図85】

# Fig. 85



[FIG. 85]

S1 SEEK SET  $\Omega$  OF ELEMENTS <segment> WHOSE KEYWORDS INCLUDE RETRIEVAL KEYS S3 SORT THE ELEMENTS IN SET  $\Omega$  IN ORDER OF PRIORITY THROUGH USE OF RETRIEVAL KEYS S5 EXTRACT ELEMENT <segment> WHOSE RETRIEVAL KEYS HAVE MAXIMUM PRIORITY FROM SET  $\Omega$  S6 CALCULATE TOTAL AMOUNT, T1, OF DURATION PERIODS OF SCENES DEFINED BY "from" AND "to" OF EXTRACTED ELEMENT <segment>

S7 CALCULATE TOTAL AMOUNT, T2, OF DURATION PERIODS OF SET  $\Omega'$ 


S8 DOES SUM OF T1+T2 EXCEED THRESHOLD VALUE?

S9 ADD EXTRACTED ELEMENTS < segment > TO SET  $\Omega'$ 

S10 DOES SUM OF T1+T2 EXCEED THRESHOLD VALUE?

S11 OUTPUT DATA PERTAINING TO START TIME AND END TIME OF ALL ELEMENTS INCLUDED IN SET

14600000




[FIG. 86]

4105 DATABASE

- MEDIA CONTENT
- Ь PHYSICAL DESCRIPTION DATA
- CONTEXT DESCRIPTION DATA
  - 4101 THE SELECTION STEP
- C. SELECTION SEGMENT
  - 4102 THE EXTRACTION STEP
  - 4103 THE FORMATION STEP
  - 4104 THE DELIVERY STEP

平成11年 9月24日 頁: 81/127

[図87]



<?xml version="1.0"?>

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

```
(mediaobject+)>
<!ELEMENT contents
                                   CDATA
                                               #REQUIRED
                       contents-id
           contents
<!ATTLIST
                                   CDATA
                                               #REQUIRED
                       title
                                   NMTOKEN
                                               #REQUIRED>
                       runtime
<!ELEMENT mediaobject (section+)>
                                   CDATA
                                               #REQUIRED>
           mediaobject id
<!ATTLIST
                       (pointofview*,(section+|segment+))>
<!ELEMENT section
                                   CDATA
                                               #IMPLIED>
<!ATTLIST
           section
                       caption
                       (pointofview*)>
<!ELEMENT segment
                                               #REQUIRED
                                   CDATA
                       start
<!ATTLIST
           segment
                                   CDATA
                                               #REQUIRED>
                       end
                       EMPTY>
<!ELEMENT pointofview
                                               #REQUIRED
                                   CDATA
                       keyword
<!ATTLIST
           pointofview
                                   NMTOKEN
                                               #REQUIRED>
                       priority
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

```
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m08.dtd">
<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</pre>
NAMENT" runtime="11:42">
 <mediaobject id="mobj-01">
   <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
     <pointofview keyword="SUMO WRESTLER1" priority="5"/>
     <section>
       <pointofview keyword="SUMO WRESTLER4" priority="1"/>
       <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
       </segment>
     </section>
     <section>
       <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
       </segment>
     </section>
     <section>
```

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
   <pointofview keyword="SUMO WRESTLER0" priority="1"/>
  </segment>
 <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </seament>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER4" priority="2"/>
 <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER4" priority="2"/>
  </segment>
 <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER4" priority="1"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="3"/>
  <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <pointofview keyword="SUMO WRESTLER0" priority="3"/>
    <pointofview keyword="SUMO WRESTLER1" priority="3"/>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
```

The state of the s

```
</segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO NAME" priority="4"/>
  <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
 <pointofview keyword="SUMO WRESTLER1" priority="2"/>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  <pointofview keyword="SUMO WRESTLER1" priority="4"/>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="1"/>
  </segment>
  <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </segment>
  <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
```

1. 有一个

```
</segment>
 <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="2"/>
 <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER5" priority="2"/>
 <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER0" priority="3"/>
 <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
   <pointofview keyword="SUMO WRESTLER0" priority="3"/>
   <pointofview keyword="SUMO WRESTLER1" priority="3"/>
 </segment>
 <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
 <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
  <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 </segment>
 <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLERO" priority="5"/>
  <pointofview keyword="SUMO WRESTLER1" priority="5"/>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
```

ı

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
 <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 </segment>
 <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
   <pointofview keyword="SUMO WRESTLER1" priority="4"/>
 </segment>
 <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
   <pointofview keyword="SUMO WRESTLER0" priority="4"/>
 </segment>
  <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
   <pointofview keyword="SUMO WRESTLER0" priority="5"/>
   <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 </segment>
 <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
   <pointofview keyword="SUMO WRESTLER0" priority="5"/>
 </segment>
 <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
   <pointofview keyword="SUMO WRESTLER0" priority="5"/>
   <pointofview keyword="SUMO WRESTLER1" priority="5"/>
 </segment>
</section>
<section>
 <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
 </segment>
</section>
<section>.
<pointofview keyword="SUMO WRESTLER0" priority="5"/>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
  </segment>
 <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
 </seament>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <pointofview keyword="SUMO WRESTLER0" priority="4"/>
  </seament>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
```

Company of the

```
<pointofview keyword="SUMO WRESTLER0" priority="4"/>
     <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
       <pointofview keyword="VIDEO" priority="4"/>
       <pointofview keyword="SUMO WRESTLER0" priority="5"/>
       <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
       <pointofview keyword="VIDEO" priority="4"/>
       <pointofview keyword="SUMO WRESTLER0" priority="5"/>
       <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
       <pointofview keyword="VIDEO" priority="4"/>
       <pointofview keyword="SUMO WRESTLER0" priority="4"/>
       <pointofview keyword="SUMO WRESTLER1" priority="4"/>
      </segment>
      <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
       <pointofview keyword="VIDEO" priority="4"/>
       <pointofview keyword="SUMO WRESTLER0" priority="4"/>
       <pointofview keyword="SUMO WRESTLER1" priority="4"/>
     </segment>
    </section>
     <section>
     <pointofview keyword="SUMO WRESTLER0" priority="4"/>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
      </segment>
    </section>
  </section>
</mediaobject>
<mediaobject id="mobj-02">
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <section>
      <pointofview keyword="SUMO NAME" priority="4"/>
      <pointofview keyword="SUMO WRESTLER2" priority="5"/>
     <pointofview keyword="SUMO WRESTLER3" priority="5"/>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:42:24">
      </segment>
```

The state of the s

```
</section>
<section>
  <pointofview keyword="WIN-LOSS RECORD" priority="3"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:00:42:25" end="smpte=00:00:57:21">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER0" priority="2"/>
  <segment start="smpte=00:00:57:22" end="smpte=00:01:21:26">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <segment start="smpte=00:01:21:27" end="smpte=00:01:28:02">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:28:03" end="smpte=00:01:35:17">
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:35:18" end="smpte=00:01:43:21">
  </seament>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:01:43:22" end="smpte=00:02:00:02">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
  <segment start="smpte=00:02:00:03" end="smpte=00:02:21:05">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
  <segment start="smpte=00:02:21:06" end="smpte=00:02:29:06">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </segment>
```

Carried Services

```
<segment start="smpte=00:02:29:07" end="smpte=00:02:45:27">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
 <segment start="smpte=00:02:45:28" end="smpte=00:02:48:20">
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
 <segment start="smpte=00:02:49:21" end="smpte=00:02:58:26">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
</segment>
 <segment start="smpte=00:02:58:27" end="smpte=00:03:02:25">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
 </segment>
 <segment start="smpte=00:03:02:26" end="smpte=00:03:04:27">
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
 </segment>
</section>
<section>
 <pointofview keyword="SUMO WRESTLER2" priority="5"/>
 <pointofview keyword="SUMO WRESTLER3" priority="5"/>
 <segment start="smpte=00:03:04:28" end="smpte=00:03:30:11">
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
   <pointofview keyword="SUMO WRESTLER3" priority="5"/>
 </segment>
 <segment start="smpte=00:03:30:12" end="smpte=00:03:33:27">
   <pointofview keyword="SUMO WRESTLER2" priority="5"/>
 </segment>
 <segment start="smpte=00:03:33:28" end="smpte=00:03:39:01">
   <pointofview keyword="SUMO WRESTLER2" priority="4"/>
   <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  </seament>
  <segment start="smpte=00:03:39:02" end="smpte=00:03:54:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  </segment>
</section>
<section>
  <pointofview keyword="VIDEO" priority="4"/>
  <pointofview keyword="SUMO WRESTLER2" priority="4"/>
  <pointofview keyword="SUMO WRESTLER3" priority="4"/>
  <segment start="smpte=00:03:54:22" end="smpte=00:04:23:17">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER2", priority="4"/>
```

The state of the s

A STATE OF THE STA

90/ 127

traditionals


THE DELIVERY STEP TRAFFIC VOLUME OF LINE

LINE

8833.32

【図96】 <pointofview keyword="力士3" priority="4"</pre> </segment> </section> <section> <pointofview keyword="力士を priority="5"/> <segment start="smpte=80:04:23:18" end="smpte=00:05:10:17"> </segment> </section> <section> <segment\_start="smpte=00:05:10:18" end="smpte=00:05:23:29"> </segment> </section> </section> </mediaobject </contents: [図97] Ь 物理内容 配送 構成 記述データ 抽出 ステ ステッフ 回線 選択 回線状況 選択区間 ステ 文脈内容 記述データ e [FIG. 97] DATABASE Q MEDIA CONTENT **V**2 PHYSICAL DESCRIPTION DATA d CONTEXT DESCRIPTION DATA THE SELECTION STEP SELECTION SEGMENT THE EXTRACTION STEP THE FORMATION STEP

[図98]



[FIG. 98]


CONTEXT DESCRIPTION DATA

THE SELECTION STEP

THE EXTRACTION STEP SELECTION SEGMENT MEDIA CONTENT

DATA PERTAINING TO SELECTION SEGMENT

[図99]



(FIG. 99)

A CONTEXT DESCRIPTION DATA

B THE SELECTION STEP

C SELECTION SEGMENT

A MEDIA CONTENT

THE PLAYBACK STEP

[図100]

Ĭ




Fig. 100

CONTEXT DESCRIPTION DATA PERTAINING TO VIDEO DATA THE VIDEO THE SELECTION STEP


[FIG. 100]

Ĭ

C SELECTION SEGMENT FOR VIDEO DATA

THE EXTRACTION STEP OR THE PLAYBACK STEP
CONTEXT DESCRIPTION DATA PERTAINING TO AUDIO DATA
THE AUDIO THE SELECTION STEP
SELECTION SEGMENT FOR AUDIO DATA


1 All Francisco



Q PHYSICAL DESCRIPTION DATA
C THE DETERMINATION STEP
A THE SELECTION STEP
Q MEDIA CONTENT
S SELECTION SERVED
A THE EXTRACTION STEP OR THE PLAYBACK STEP

[FIG. 101]

C. A. Marine



[FIG. 102]

(LAYER

CHANNEL

CHANNEL-1/LAYER-3

CHANNEL-2/LAYER-3

CHANNEL-3/LAYER-3

GHANNEL-3/LAYER-1

CHANNEL-3/LAYER-1

The state of the s

ONE EXAMPLE OF DTD TO BE USED FOR DESCRIBING CONTEX T DESCRIPTION DATA IN XML

<?xml version="1.0"?>

<!ENTITY % types "(audio|video|audiovideo)">

formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg <!ENTITY %

2-ps|mpeg2-ts|mpeg2-video)">

<!ELEMENT contents

(mediaobject+)>

<!ATTLIST **CDATA** contents contents-id #REQUIRED CDATA title #REQUIRED

runtime

**NMTOKEN** #REQUIRED>

<!ELEMENT mediaobject (channel+)>

<!ATTLIST mediaobject caption CDATA type

#IMPLIED %types; "audiovideo" #REQUIRED

format locator %formats: CDATA .

#REQUIRED>

<!ELEMENT channel <!ATTLIST channel

(pointofview\*,grpoflayers?, context)> CDATA caption

#IMPLIED

layer

**NMTOKEN** priority

#REQUIRED>

<!ELEMENT pointofview <!ATTLIST pointofview

EMPTY> keyword

CDATA #REQUIRED

priority

**NMTOKEN** #REQUIRED>

<!ELEMENT grpoflayer</pre> <!ELEMENT layer

(layer+)> EMPTY>

layer-id

CDATA #REQUIRED

<!ELEMENT context

<!ATTLIST

priority EMPTY> **NMTOKEN** 

#REQUIRED>

<!ATTLIST context Locator

**CDATA** 

#REQUIRED>

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m05.dtd">

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR</p> NAMENT" runtime="11:42">

<mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeq</p> 1-system"

locator="http://mserv.trl.mei.co.jp/MPEG/sumou01.mpg"> <channel caption="GRAND SUMO TOURNAMENT audiovideo" pri</p> ority="5">

<pointofview keyword="audiovideo" priority="5">

"/>

</channel>
</mediaobject>


</contents>

## <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01.xml"/> </channel> </mediaobject> <mediaobject caption="YOKOZUNA" type="video" format="mpeq2-vid</pre> eo" locator="http://mserv.trl.mei.co.jp/MPEG/sumou01v.mpg"> <channel caption="GRAND SUMO TOURNAMENT video" priority=</p> <pointofview keyword="video" priority="5"> <grpoflayers> <layer layer-id="video-normal" priority="5"/> <layer layer-id="video-high" prioity="3"/> </grpoflayers> <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01v.xml"/</pre> </channel> </mediaobject> <mediaobject caption="YOKOZUNA" type="audio" format="mpeg-audi</pre> 0" locator="http://mserv.trl.mei.co.jp/MPEG/sumou01a.mpg"> <channel caption="GROUND SUMO TOURNAMENT Japanese" pri</p> ority="4"> <pointofview keyword="Japanese" priority="5"> <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01as.xml"</pre> /> </channel> <channel caption="GROUND SMO TOURNAMENT English" priorit</p> y = "3" ><pointofview keyword="English" priority="5"> <context Locator="http://mserv.trl.mei.co.jp/SMML/sumou01am.xml</pre>

Company of the second

AMARINE IN

# Fig. 105



[FIG. 105] S101 IS THERE A USER REQUEST? SR-A DETERMINE USER REQUEST


- Q ~ SOUND ONLY SR-B MAKE DETERMINATION RELATING TO SOUND DATA
- $_{\rm D} \sim {\rm VIDEO} \; {\rm ONLY}$   $_{\rm S103} \; {\rm ARE} \; {\rm THERE} \; {\rm ANY} \; {\rm RECEIVABLE} \; {\rm DATA?}$
- C ~ VIDEO AND SOUND S105 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?
- of \_LOW
- e- HIGH

S107 IS TRAFFIC VOLUME OF LINE HIGH OR LOW?

S109 ASSIGN VIDEO DATA TO CHANNEL-1/LAYER-1

ASSIGN AUDIO DATA TO CHANNEL 2

S111 ASSIGN VIDEO DATA TO CHANNEL-1/LAYER-2 ASSIGN AUDIO DATA TO CHANNEL 1



[FIG. 106]

SR-A DETERMINE USER REQUEST

S151 IS THERE REQUEST FOR VIDEO DATA?

\$153 DOES REQUEST FOR VIDEO DATA RELATE TO LAYER 27

S155 SELECT LAYER 2 FOR VIDEO DATA


S157 SELECT LAYER 1 FOR VIDEO DATA

S159 IS THERE REQUEST FOR SOUND?

S161 DOES REQUEST FOR SOUND RELATE TO CHANNEL 1?


S163 SELECT CHANNEL 1 FOR SOUND

S165 SELECT CHANNEL 2 FOR SOUND



[図108]

# Fig. 108



[FIG. 107]

SR-B MAKE DETERMINATION RELATING TO VIDEO DATA S171 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

a \_ LOW

b ~ HIGH

S173 IS TRAFFIC VOLUME OF LINE HIGH OR LOW?

\$175 SELECT ONLY VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1
\$177 SELECT ONLY VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-2


[FIG. 108]

SR-C MAKE DETERMINATION RELATING TO AUDIO DATA S181 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

A \_ LOW

b - HIGH

S183 IS TRAFFIC VOLUME OF LINE HIGH OR LOW? S185 SELECT ONLY AUDIO DATA TRANSPORTED OVER CHANNEL 1 S187 SELECT ONLY AUDIO DATA TRANSPORTED OVER CHANNEL 2



[FIG. 109]

S201 IS THERE USER REQUEST?S203 IS THERE ONLY REQUEST FOR VIDEO?S205 ARE THERE ANY RECEIVABLE DATA?


- Q SOUND ONLY
- h VIDEO ONLY
- VIDEO AND SOUND

  \$207 IS THERE ONLY REQUEST FOR SOUND?


  \$209 IS TRAFFIC VOLUME OF LINE HIGH OR LOW?

  \$211 ARE THERE SOUND DATA?

[図110]



[FIG. 110] S251 VIDEO AND SOUND DATA ARE OBJECTS OF SELECTION S253 ONLY VIDEO DATA ARE OBJECTS OF SELECTION S255 ONLY AUDIO DATA ARE OBJECTS OF SELECTION




[FIG. 111] SR-D DETERMINE OBJECT OF SELECTION S301 ARE THERE DATA DETERMINED TO BE OBJECTS OF SELECTION? G - SOUND ONLY h - VIDEO ONLY C - VIDEO AND SOUND SR-F MAKE DETERMINATION RELATING TO SOUND DATA SR-E MAKE DETERMINATION RELATING TO VIDEO DATA S302 IS CAPABILITY OF RECEIVING TERMINAL HAVE HIGH OR LOW? HIGH \_ LOW S302 IS CAPABILITY OF LINE HIGH OR LOW? HIGH 晚- LOW S309 IS TRAFFIC VOLUME OF LINE HIGH OR LOW? S307 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1 SELECT SOUND DATA TRANSPORTED OVER CHANNEL 1

S311 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-2 SELECT SOUND DATA TRANSPORTED OVER CHANNEL 2

000000000

# Fig. 112

Acres (Care



[FIG. 112]

SR-E MAKE DETERMINATION RELATING TO VIDEO DATA

S351 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

- Q HIGH
- P rom

S353 IS CAPABILITY OF LINE HIGH OR LOW?

- Q HIGH
- b LOW

S357 IS TRAFFIC VOLUME OF LINE HIGH DICLOW?


S355 SELECT ONLY VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1

S359 SELECT ONLY VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-2

頁: 106/ 127

[図113]

# Fig. 113



[FIG. 113]

SR-F MAKE DETERMINATION RELATING TO SOUND DATA

S371 IS CAPABILITY OF RECEIVING TERMINAL HAVE HIGH OR LOW?

( \_ HIGH

b - row

S373 IS CAPABILITY OF LINE HIGH OR LOW?

Q ∕ HIGH


b-LOW

S377 IS TRAFFIC VOLUME OF LINE HIGH OR LOW?

S375 SELECT ONLY AUDIO DATA TRANSPORTED OVER CHANNEL 2

S379 SELECT ONLY AUDIO DATA TRANSPORTED OVER CHANNEL 1

Fig. 118



[FIG. 114]

S401 IS THERE USER REQUEST?

SR-G DETERMINE USER REQUEST


S403 ARE THERE ANY RECEIVABLE DATA?

b - VIDEO ONLY

 $\mathcal{C}^-$  VIDEO AND SOUND

SR-I MAKE DETERMINATION RELATING TO SOUND DATA

SR-H MAKE DETERMINATION RELATING TO AUDIO DATA



[FIG. 115]

S405 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

- q HIGH
- b LOW

S407 IS CAPABILITY OF LINE HIGH OR LOW?

- q HIGH
- b row

S409 IS TRAFFIC VOLUME OF LINE HIGH PR LOY?

S411 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-2 SELECT SOUND DATA TRANSPORTED OVER CHANNEL 1

S413 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1 SELECT SOUND DATA TRANSPORTED OVER CHANNEL 1

S415 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1 SELECT SOUND DATA TRANSPORTED OVER CHANNEL 2

S417 SELECT REPRESENTATIVE VIDEO DATA

SELECT SOUND DATA TRANSPORTED OVER CHANNEL 2


S419 SELECT REPRESENTATIVE VIDEO DATA

SELECT REPRESENTATIVE SOUND DATA

是连街与一名 0 0 1 2 1 0 0 0

【図116】

Fig. 116



[FIG. 116]

SR-G DETERMINE USER REQUEST

S451 IS THERE ONLY REQUEST FOR VIDEO DATA?


SR-H MAKE DETERMINATION RELATING TO VIDEO DATA

S453 IS THERE ONLY REQUEST FOR AUDIO DATA?

SR-I MAKE DETERMINATION RELATING TO AUDIO DATA

A STATE OF THE STA

【図117】



[FIG. 117]

SR-H MAKE DETERMINATION RELATING TO VIDEO DATA

S461 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

q HIGH

LOW

S463 IS CAPABILITY OF LINE HIGH OR LOW?

१ HIGH


L LOW

S465 DOES LINE HAVE HIGH TRAFFIC VOLUME?

S471 SELECT ONLY VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-2

S473 SELECT REPRESENTATIVE VIDEO DATA

S475 SELECT VIDEO DATA TRANSPORTED OVER CHANNEL-1/LAYER-1



[FIG. 118]

SR-I MAKE DETERMINATION RELATING TO AUDIO DATA S481 IS CAPABILITY OF RECEIVING TERMINAL HIGH OR LOW?

- q HIGH
- h LOW

S483 IS CAPABILITY OF LINE HIGH OR LOW?

- 4 HIGH
- h LOW


S485 DOES LINE HAVE HIGH TRAFFIC VOLUME?

S491 SELECT ONLY AUDIO DATA TRANSPORTED OVER CHANNEL 1

S493 SELECT REPRESENTATIVE AUDIO DATA

\$495 SELECT AUDIO DATA TRANSPORTED OVER CHANNEL 2

# Fig. 119



[FIG. 119]

S501 IS THERE USER REQUEST?

SR-J DETERMINE USER REQUEST

S503 ARE THERE ANY RECEIVABLE DATA?

- Q REPRESENTATIVE DATA ONLY
- b ENTIRE DATA ONLY
- C ENTIRE DATA AND REPRESENTATIVE DATA S505 IS CAPABILITY OF LINE HIGH OR LOW?
- d HIGH
- € LOW

S507 DOES LINE HAVE HIGH TRAFFIC VOLUME?


S509 DOES LINE HAVE HIGH TRAFFIC VOLUME?

 $(i,i)(\{i\}_i)_{i\neq i}(\{i\}_i)_{i\neq i}$ 

end

【図121】

Fig. 121



[FIG. 120]

S551 ENTIRE DATA AND REPRESENTATIVE DATA PERTAINING TO MEDIA SEGMENT ARE OBJECTS OF SELECTION

S553 ONLY REPRESENTATIVE DATA PERTAINING TO MEDIA SEGMENT ARE OBJECTS OF SELECTION

\$555 ONLY ENTIRE DATA PERTAINING TO MEDIA SEGMENT ARE OBJECTS OF SELECTION

[FIG. 121]

SR-J DETERMINE USER REQUEST

S601 DOES THE REQUEST RELATE TO ONLY REPRESENTATIVE DATA?

S603 DOES THE REQUEST RELATE TO ONLY ENTIRE DATA?

THE RESERVE COMMENSATION OF THE PROPERTY OF TH

[図122]

選択区間のデータ 選択区間 抽出ステップ  $\theta$ CONTEXT DESCRIPTION DATA THE SELECTION STEP SELECTION SEGMENT MEDIA CONTENT [FIG. 122]


Road Hard Grief Will Will Hard China Will Hard China Will Hard Wil

DATA PERTAINING TO SELECTION SEGMENT THE FORMATION STEP


THE EXTRACTION STEP

A Property of

【図123】



ryr \$



[FIG. 124] α CONTEXT DESCRIPTION DATA β THE SELECTION STEP

THE SELECTION STEP

C SELECTION SEGMENT

A MEDIA CONTENT


C THE EXTRACTION STEP

C DATA PERTAINING TO SELECTION SEGMENT

S THE FORMATION STEP

RECORDING STEP

A RECORDING MEDIUM



[FIG. 125] Q CONTEXT DESCRIPTION DATA

CONTEXT DESCRIPTING

b THE SELECTION STEP C SELECTION SEGMENT

of MEDIA CONTENT

C THE EXTRACTION STEP

- DATA PERTAINING TO SELECTION SEGMENT

Κ RECORDING STEP

A DATA RECORDING MEDIUM

THE FORMATION STEP

DATA RECORDING MEDIUM MANAGEMENT STEP

蓄積コンテンツ管理ステップ 記録ステップ 40 構成ステップ ナップ 選択ステップ 抽出ス C 一選択区間  $\sigma$ 女脈内容 記述データ-

CONTEXT DESCRIPTION DATA

[FIG. 126]

SELECTION SEGMENT THE SELECTION STEP

DATA PERTAINING TO SELECTION SEGMENT THE EXTRACTION STEP MEDIA CONTENT

DATA RECORDING MEDIUM THE FORMATION STEP RECCR.DIDG 9

DATA RECERBING MEDIUM MANAGEMENT STEP

DTD TO BE USED FOR DESCRIBING, IN XML, ONE EXAMPLE OF DATA INTO WHICH CONTEXT DESCRIPTION DATA AND STRUCT URE DESCRIPTION DATA ARE MERGED <?xml version="1.0"?>

<!ENTITY % types "(audio/video/audiovideo)"> <!ENTITY % formats "(mpeg1-system|mpeg1-video|mpeg-audio|mpeg 2-ps/mpeg2-ts/mpeg2-video)"> <!ELEMENT contents (mediaobject+)> contents-id <!ATTLIST contents CDATA #REQUIRED title CDATA #REQUIRED **NMTOKEN** #REQUIRED> runtime <!ELEMENT mediaobject (channel+)> mediaobject caption **CDATA** #IMPLIED <!ATTLIST %types; "audiovideo" type format %formats; #REQUIRED **NMTOKEN** #REQUIRED seq CDATA #REQUIRED> locator <!ELEMENT channel (pointofview\*,grpoflayers?, context)> #IMPLIED channel **CDATA** <!ATTLIST caption **NMTOKEN** #REQUIRED> priority <!ELEMENT pointofview **EMPTY> CDATA** #REQUIRED <!ATTLIST pointofview keyword priority **NMTOKEN** #REQUIRED> (layer+)> <!ELEMENT grpoflayer EMPTY> <!ELEMENT layer **CDATA** layer-id #REQUIRED <!ATTLIST layer priority **NMTOKEN** #REQUIRED> (section+)> <!ELEMENT context <!ELEMENT section (section+|segment+)> **CDATA** #IMPLIED <!ATTLIST section caption **NMTOKEN** #REQUIRED> priority EMPTY> <!ELEMENT segment CDATA #REQUIRED segment start <!ATTLIST end CDATA #REQUIRED NMTOKEN #REQUIRED> priority

ONE EXAMPLE OF XML DOCUMENT INTO WHICH CONTEXT DES CRIPTION DATA AND PHYSICAL DESCRIPTION DATA ARE MERGE D BY MEANS OF DTD

<?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m05.dtd">

THE FORM

```
<contents contents-id="urn:upi:mei:12345" title="GROUND SUMO TOU</p>
RNAMENT" runtime="11:42">
  <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpeg</pre>
1-system"
         seq="1" locator="sumou01.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p</p>
riority="5">
      <pointofview keyword="audiovideo" priority="5">
      <context>
        <section caption="SUMO WRESTLER0 VS. SUMO WRESTLE</pre>
R1" priority="5">
           <section priority="1">
             <segment start="smpte=00:00:00:00" end="smpte=00:00:0</pre>
4:17" priority="1"/>
             <segment start="smpte=00:00:04:18" end="smpte=00:00:0"</pre>
9:08" priority="1"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:00:09:09" end="smpte=00:00:1</pre>
4:13" priority="2"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:14:14" end="smpte=00:00:1</pre>
9:19" priority="3"/>
           </section>
           <section priority="1">
             <segment start="smpte=00:00:19:20" end="smpte=00:00:2</pre>
2:19" priority="1"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:22:20" end="smpte=00:00:2</pre>
8:10" priority="3"/>
             <segment start="smpte=00:00:28:11" end="smpte=00:00:3</pre>
0:28" priority="3"/>
             <segment start="smpte=00:00:30:29" end="smpte=00:00:4"</pre>
3:11" priority="3"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:00:43:12" end="smpte=00:00:4</pre>
6:20" priority="2"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:46:21" end="smpte=00:00:5</pre>
7:09" priority="3"/>
           </section>
```

# 

</section>

<section priority="3">

<segment start="smpte=00:01:24:21" end="smpte=00:01:3</pre>

9:26" priority="3"/>

</section>

<section priority="2">

<segment start="smpte=00:01:39:27" end="smpte=00:01:5</pre>

2:09" priority="2"/>

<segment start="smpte=00:01:52:10" end="smpte=00:02:0"</pre>

2:16" priority="2"/>

<segment start="smpte=00:02:02:17" end="smpte=00:02:3</pre>

1:09" priority="2"/>

<segment start="smpte=00:02:31:10" end="smpte=00:02:4</pre>

7:18" priority="3"/>

</section>

<section priority="1">

<segment start="smpte=00:02:47:19" end="smpte=00:02:5</pre>

9:03" priority="1"/>

<segment start="smpte=00:02:59:04" end="smpte=00:03:0"</pre>

7:14" priority="1"/>

</section>

<section priority="2">

<segment start="smpte=00:03:07:15" end="smpte=00:03:1</pre>

3:28" priority="2"/>

<segment start="smpte=00:03:13:29" end="smpte=00:03:2</pre>

1:28" priority="2"/>

<segment start="smpte=00:03:21:29" end="smpte=00:03:3"</pre>

3:15" priority="2"/>

<segment start="smpte=00:03:33:16" end="smpte=00:03:4</pre>

7:00" priority="2"/>

<segment start="smpte=00:03:47:01" end="smpte=00:03:5</pre>

8:14" priority="2"/>


A STATE OF THE STA

```
<segment start="smpte=00:03:58:15" end="smpte=00:04:1</pre>
2:27" priority="2"/>
           </section>
           <section priority="3">
              <segment start="smpte=00:04:12:28" end="smpte=00:04:2"</pre>
0:01" priority="3"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:04:20:02" end="smpte=00:04:3"</pre>
1:05" priority="4"/>
              <segment start="smpte=00:04:31:06" end="smpte=00:04:3</pre>
4:28" priority="4"/>
              <segment start="smpte=00:04:34:29" end="smpte=00:04:3</pre>
7:06" priority="4"/>
           </section>
           <section priority="5">
              <segment start="smpte=00:04:37:07" end="smpte=00:04:5</pre>
7:05" priority="5"/>
           </section>
           <section priority="5">
              <segment start="smpte=00:04:57:06" end="smpte=00:05:0</pre>
0:02" priority="5"/>
              <segment start="smpte=00:05:00:03" end="smpte=00:05:0"</pre>
2:06" priority="4"/>
           </section>
           <section priority="2">
              <segment start="smpte=00:05:02:07" end="smpte=00:05:0"</pre>
4:16" priority="2"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:05:04:17" end="smpte=00:05:1</pre>
3:25" priority="4"/>
              <segment start="smpte=00:05:13:26" end="smpte=00:05:1</pre>
7:01" priority="4"/>
              <segment start="smpte=00:05:17:02" end="smpte=00:05:2"</pre>
3:21" priority="3"/>
              <segment start="smpte=00:05:23:22" end="smpte=00:05:4</pre>
4:15" priority="4"/>
              <segment start="smpte=00:05:44:16" end="smpte=00:05:5</pre>
0:27" priority="4"/>
              <segment start="smpte=00:05:50:28" end="smpte=00:06:0</pre>
8:15" priority="4"/>
              <segment start="smpte=00:06:08:16" end="smpte=00:06:1</pre>
8:05" priority="4"/>
```

```
<segment start="smpte=00:06:18:06" end="smpte=00:06:2</pre>
4:04" priority="4"/>
             <segment start="smpte=00:06:24:05" end="smpte=00:06:4</pre>
1:04" priority="4"/>
           </section>
         </section>
      </context>
    </channel>
  </mediaobject>
  <mediaobject caption="YOKOZUNA" type="audiovideo" format="mpea</p>
1-system"
          seq="2" locator="sumou02.mpg">
    <channel caption="GROUND SUMO TOURNAMENT audiovideo" p</p>
riority="5">
      <pointofview keyword="audiovideo" priority="5">
      <context>
         <section caption="SUMO WRESTLER2 VS. SUMO WRESTLE</pre>
R3" priority="4">
           <section priority="4">
             <segment start="smpte=00:00:00:00" end="smpte=00:00:4</pre>
2:24" priority="4"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:00:42:25" end="smpte=00:00:5</pre>
7:21" priority="3"/>
           </section>
           <section priority="2">
             <segment start="smpte=00:00:57:22" end="smpte=00:01:2</pre>
1:26" priority="1"/>
             <segment start="smpte=00:01:21:27" end="smpte=00:01:2</pre>
8:02" priority="2"/>
             <segment start="smpte=00:01:28:03" end="smpte=00:01:3</pre>
5:17" priority="2"/>
             <segment start="smpte=00:01:35:18" end="smpte=00:01:4</pre>
3:21" priority="2"/>
             <segment start="smpte=00:01:43:22" end="smpte=00:02:0"</pre>
0:02" priority="2"/>
             <segment start="smpte=00:02:00:03" end="smpte=00:02:2"</pre>
1:05" priority="2"/>
              <segment start="smpte=00:02:21:06" end="smpte=00:02:2</pre>
9:06" priority="2"/>
             <segment start="smpte=00:02:29:07" end="smpte=00:02:4</pre>
5:27" priority="2"/>
              <segment start="smpte=00:02:45:28" end="smpte=00:02:4</p>
9:20" priority="2"/>
```

```
FIG. 132
           </section>
           <section priority="3">
              <segment start="smpte=00:02:49:21" end="smpte=00:02:5</pre>
8:26" priority="3"/>
              <segment start="smpte=00:02:58:27" end="smpte=00:03:0"</pre>
2:25" priority="3"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:02:26" end="smpte=00:03:0"</pre>
4:27" priority="4"/>
           </section>
           <section priority="5">
              <segment start="smpte=00:03:04:28" end="smpte=00:03:3</pre>
0:11" priority="5"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:30:12" end="smpte=00:03:3</pre>
3:27" priority="4"/>
           </section>
           <section priority="3">
              <segment start="smpte=00:03:33:28" end="smpte=00:03:3</pre>
9:01" priority="3"/>
              <segment start="smpte=00:03:39:02" end="smpte=00:03:5</pre>
4:21" priority="3"/>
           </section>
           <section priority="4">
              <segment start="smpte=00:03:54:22" end="smpte=00:04:2</pre>
3:17" priority="4"/>
           </section>
           <section priority="3">
             <segment start="smpte=00:04:23:18" end="smpte=00:05:1</pre>
0:17" priority="3"/>
           </section>
           <section priority="1">
             <segment start="smpte=00:05:10:18" end="smpte=00:05:2</pre>
3:29" priority="1"/>
           </section>
         </section>
      </context>
    </channel>
  </mediaobject>
</contents>
```

FIG. 133



南京

{ VIEW1, VIEW2, VIEW3,  $\cdots$ , VIEWn }

FIG. 135

 $\{5, 0, 2, \cdots, 0\}$ 

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

```
<?xml version="1.0"?>
```

```
(povlist?,section+)>
<!ELEMENT contents
                       contents-id
<!ATTLIST
           contents
                                   CDATA
                                               #REQUIRED
                       title
                                   CDATA
                                               #REQUIRED
                                   NMTOKEN
                       runtime
                                               #REQUIRED>
                        (pointofview+)>
<!ELEMENT povlist
<!ELEMENT pointofview
                       EMPTY>
                       keyword
                                               #REQUIRED>
                                   CDATA
           pointofview
<!ATTLIST
                        (povvalue?,(section+|segment+))>
<!ELEMENT section
                                   CDATA
                                               #IMPLIED>
                       caption
           section
<!ATTLIST
<!ELEMENT povvalue
                        (priority+)>
                       EMPTY>
<!ELEMENT priority
<!ELEMENT segment
                        (povvalue?)>
                                               #REQUIRED
                                   CDATA
                       start
           segment
<!ATTLIST
                                               #REQUIRED>
                       end
                                   CDATA
<!ELEMENT pointofview
                       EMPTY>
                                               #REQUIRED
                                   CDATA
           pointofview.
                       keyword
<!ATTLIST
                                   NMTOKEN
                                               #REQUIRED>
                        priority
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DESCRIPTION DATA PREPARED BY DTD <?xml version="1.0" encoding="euc-jp"?> <!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/program10.dtd">

<contents contents-id="urn:upi:nhk:12345" title= "GROUND SUMO
TOURNAMMENT" runtime="11:42">

```
<povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
<pointofview keyword="SUMO WRESTLER1"/>
<pointofview keyowrd="SUMO WRESTLER2"/>
```

<pointofview keyword="SUMO WRESTLER3"/>
<pointofview keyword="SUMO WRESTLER4"/>

<pointofview keyword="SUMO WRESTLER5"/>

<pointofview keyword="SUMO NAME"/>

<pointofview keyword="WIN-LOSS RECORD"/>

<pointofview keyword="VIDEO"/>

</povlist>

<section caption="SUMO WRESTLER0 VS SUMO WRESTLER1">

```
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

A STATE OF THE STA

```
<priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <povvalue>
       <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
```

```
<priority value="0"/>
       cpriority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <povvalue>
      <priority value="3"/>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
```

The state of the s

```
</segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
```

```
<priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
```

A formation of the

```
<priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <pri><priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>.
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <pri><priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
```

```
</segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
       <priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </powalue>
  <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
    <povvalue>
       <priority value="4"/>
       <pri><priority value="1"/>
```

Company of the second

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
  <povvalue>
     <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
   <povvalue>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
   </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
   <povvalue>
     <priority value="4"/>
     <priority value="0"/>
     cpriority value="0"/> -
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
```

```
<priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>.
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="2"/>
       <priority value="0"/>
       oriority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
```

- 南部一大

```
<povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <pri><priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povvalue>
       <priority value="3"/>
       <priority value="3"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <pri><priority value="0"/>
```

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <pri><priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povvalue>
    cpriority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

ľIJ

Ü

il il

#### FIG. 148

```
</povvalue>
  </segment>
  <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
    <povvalue>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
       <priority value="4"/>
```

Company of the second

```
<priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <pri><priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
 <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
 </segment>
 <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
 </segment>
 <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

Company of the second

```
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <pointofview keyword="VIDEO" priority="4"/>
    <pointofview keyword="SUMO WRESTLER0" priority="5"/>
    <pointofview keyword="SUMO WRESTLER1" priority="4"/>
    <powalue>
      <priority value="5"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
    <povvalue>
       <priority value="5"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
     <povvalue>
       <pri><priority value="4"/>
```

```
<priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
    </segment>
    <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
    </seament>
  </section>
  <section>
    <povvalue>
      <priority value="4"/>.
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
```

The state of the s

```
<pointofview keyword="SUMO WRESTLER3" priority="5"/>
<povvalue>
  <priority value="0"/>
  <priority value="0"/>
  <priority value="5"/>
  <priority value="5"/>
  <priority value="0"/>
  <priority value="0"/>
  cpriority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
```

Ĭ

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
       <priority value="2"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
```

Contract of the Contract of th

```
</segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="4"/>
       <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <powalue>
       <priority value="0"/>
       <priority value="0"/>
```

```
<priority value="4"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

A Property of the second

```
<priority value="0"/>
  <priority value="0"/>
  <priority value="0"/>
</povvalue>
<segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
  <povvalue>
     <priority value="0"/>
     <priority value="0"/>
     <priority value="4"/>
     <priority value="4"/>
     <priority value="0"/>
     <priority value="0"/>
    <priority value="0"/>
     <priority value="0"/>
     <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
```

A Mary James

```
<povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <powalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
```

OF BUILDING

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
    <povvalue>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
       <priority value="0"/>
    </povvalue>
```

```
</segment>
  <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
    <povvalue>
      <priority value="0"/>
       <priority value="0"/>
      <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
      <priority value="0"/>
       <pri><priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/> -
    </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <pointofview keyword="SUMO WRESTLER2" priority="4"/>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
```

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <pointofview keyword="SUMO WRESTLER2" priority="5"/>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="0"/>
      <pri><priority value="0"/>
```

A Mary James

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

```
(povlist?, section+)>
<!ELEMENT contents
                        contents-id
                                   CDATA
                                                #REQUIRED
<!ATTLIST
           contents
                                   CDATA
                                                #REQUIRED
                        title
                                   NMTOKEN
                                                #REQUIRED>
                       runtime
                       . (pointofview+)>
<!ELEMENT povlist
<!ELEMENT pointofview
                       EMPTY>
                                                #REQUIRED>
           pointofview
                       keyword
                                   CDATA
<!ATTLIST
                        (povvalue?,(section+|segment+))>
<!ELEMENT section
                                   CDATA
                                                #IMPLIED>
                       caption
<!ATTLIST
           section
                        (priority+)>
<!ELEMENT povvalue
                        EMPTY>
<!ELEMENT priority
                        (povvalue?,dominant-data)>
<!ELEMENT segment
                                   CDATA
                                                #REQUIRED
<!ATTLIST
           segment
                       start
                                   CDATA
                                               #REQUIRED>
                       end
                       EMPTY>
<!ELEMENT pointofview
                       keyword
                                   CDATA
                                               #REQUIRED
           pointofview
<!ATTLIST
                                   NMTOKEN
                                               #REQUIRED>
                       priority
<!ELEMENT dominant-data EMPTY>
                                   NMTOKEN
                                               #IMPLIED
           dominant-data frame-no
<!ATTLIST
                       start
                                   CDATA
                                               #IMPLIED
                                   CDATA
                                               #IMPLIED
                       end
                                   CDATA
                                                #IMPLIED>
                       locator
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD <?xml version="1.0" encoding="euc-jp"?>

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m11.dtd">

<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">

<povlist>

<pointofview keyword="SUMO WRESTLER0"/>
<pointofview keyword="SUMO WRESTLER1"/>
<pointofview keyword="SUMO WRESTLER2"/>
<pointofview keyword="SUMO WRESTLER3"/>
<pointofview keyword="SUMO WRESTLER4"/>

and the second

```
<pointofview keyword="SUMO WRESTLER5"/>
  <pointofview keyword="SUMO NAME"/>
  <pointofview keyword="WIN-LOSS RECORD"/>
  <pointofview keyword="VIDEO"/>
</povlist>
<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
         <pri><pri>ority value="1"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi</pre>
```

f"/>

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m</pre>
p3"/>
       </segment>
    </section>
    <section>
       <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
       <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
```

```
<povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <povvalue>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

1 Party of the

```
FIG. 168
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <pri><priority value="1"/>
```

<priority value="0"/>

# FIG. 169 <priority value="0"/> <priority value="0"/> <priority value="0"/> </povvalue> <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre> 35:05"/> </segment> </section> <section> <povvalue> <priority value="3"/> <priority value="3"/> <priority value="0"/> </povvalue> <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20"> <powalue> <priority value="3"/> <priority value="3"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m"</pre> p3"/> </segment> </section> <section> <povvalue> <priority value="4"/> <priority value="0"/>

1 Jan Jan

<priority value="0"/>
<priority value="0"/>

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="3"/>
         <priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <pri><priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

· A service from

# FIG. 171 <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m</pre> p3"/> </segment> </section> <section> <povvalue> <priority value="5"/> <priority value="5"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="4"/> <priority value="0"/> <pri>ority value="0"/> </povvalue> <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14"> <povvalue> <priority value="5"/> <priority value="5"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="4"/> <priority value="0"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m"</p> p3"/> </segment> </section> <section> <povvalue> <priority value="2"/> <priority value="2"/> <priority value="0"/>

1 British

<priority value="0"/>

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
         <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri><priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
```

A STATE OF THE STA

```
<priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
         <povvalue>
           <priority value="4"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
       </segment>
       <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
         <povvalue>
           <priority value="4"/>
```

Section 1

```
FIG. 174
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </powalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
         <povvalue>
```

A Maria

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
48:02"/>
       </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </powalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="3"/>
```

Company of the

```
<priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
         <povvalue>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
```

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre>
25:02"/>
      </segment>
      <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre>
38:21"/>
      </segment>
      <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre>
51:17"/>
      </segment>
      <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
         <povvalue>
           <priority value="0"/>
           <priority value="4"/>
```

for your

```
FIG. 178
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
       </segment>
     </section>
     <section>
       <povvalue>
         <priority value="5"/>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
```

A Mary James

# FIG. 179 <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0."/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m"</pre> p3"/> </segment> <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28"> <povvalue> <priority value="0"/> <priority value="4"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m</pre> p3"/> </segment> <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06"> <povvalue> <priority value="4"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi</p> f"/>

C. A. March

```
FIG. 180
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m"</pre>
p3"/>
       </segment>
      <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m</p>
p3"/>
       </segment>
      <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi-</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

```
<priority value="0"/>
           <priority value="0"/>
           <pri><priority value="0"/>
           <pri>ority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m</pre>
p3"/>
       </segment>
    </section>
    <section>
       <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
         <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
02:20"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
        . <pri>ority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
            <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</p>
f"/>
```

A June James

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m"</p>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
```

A Marie James

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
         <pointofview keyword="VIDEO" priority="4"/>
         <pointofview keyword="SUMO WRESTLER0" priority="5"/>
         <pointofview keyword="SUMO WRESTLER1" priority="4"/>
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi"</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
```

```
<povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
             <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m"</pre>
 p3"/>
        </segment>
        <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
          <povvalue>
            <priority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
             <priority value="4"/>
          </povvalue>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m</pre>
p3"/>
        </segment>
      </section>
      <section>
        <povvalue>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

A Comment of the second

```
<priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyword="SUMO WRESTLER2" priority="5"/>
    <pointofview keyword="SUMO WRESTLER3" priority="5"/>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <pri>ority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
         <priority value="4"/>
        <priority value="0"/>
         <pri><priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
```

· Aller And

<priority value="5"/>

# FIG. 186 <priority value="0"/> <pri><priority value="0"/> <priority value="4"/> <priority value="0"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi</p> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m</pre> p3"/> </segment> . </section> <section> <povvalue> <priority value="0"/> <priority value="0"/> <priority value="4"/> <priority value="4"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="3"/> <priority value="0"/> </povvalue> <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21"> <povvalue> <priority value="0"/> <priority value="0"/> <priority value="4"/> <priority value="4"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="3"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</p> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m</p> p3"/> </segment> </section>

· Aller James

<section>

<povvalue>

```
<priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
      </segment>
    </section>
    <section>
      <powalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
```

· Aller Jan

```
FIG. 188
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
```

A Property of

<priority value="0"/>
<pri><priority value="0"/>

```
<priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri>ority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri><priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
```

1 Mary James

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m"</p>
p3"/>
       </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m"</pre>
p3"/>
```

A Secretary

```
FIG. 191
      </segment>
      <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="0"/> ...
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

Company of the second

```
FIG. 192
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.ip/DMV/dmp37.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m"</p>
p3"/>
       </segment>
       <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m"</pre>
p3"/>
       </seament>
       <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</p>
p3"/>
       </segment>
    </section>
```

A Sharp James

<section>

```
<povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="5"/>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi"</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m"</p>
p3"/>
      </segment>
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m"</pre>
p3"/>
```


```
</segment>
       <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <pointofview keyword="SUMO WRESTLER2" priority="4"/>
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <pri><priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
```

- Aller

```
<priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           cpriority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m</p>
p3"/>
       </segment>
    </section>
    <section>
       <pointofview keyword="SUMO WRESTLER2" priority="5"/>
       <povvalue>
         <priority value="0"/>
         <pri>ority value="0"/>
         <priority value="5"/>
         <pri><priority value="0"/>
         <priority value="0"/>
         <pri><priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

```
FIG. 196
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
        <dominant-data start="smpte=00:11:29:13" end="smpte=11:32:2</pre>
1"/>
      </segment>
    </section>
  </section>
</contents>
```

Market Stranger



# DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

(povlist?,section+)> <!ELEMENT contents contents-id CDATA #REQUIRED <!ATTLIST contents **CDATA** #REQUIRED title **NMTOKEN** #REQUIRED> runtime (pointofview+)> <!ELEMENT povlist EMPTY> <!ELEMENT pointofview #REQUIRED> pointofview keyword CDATA <!ATTLIST (povlist?,povvalue?,(section+|segment+))> <!ELEMENT section **CDATA** #IMPLIED> <!ATTLIST section caption <!ELEMENT povvalue (priority+)> <!ELEMENT priority EMPTY> (povlist?,povvalue?)> <!ELEMENT segment <!ATTLIST segment start CDATA #REQUIRED CDATA #REQUIRED> end

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
```

<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m12.dtd">

<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">

<povlist>

<pointofview keyword="SUMO WRESTLER0"/>

<pointofview keyword="SUMO WRESTLER1"/>

<pointofview keyowrd="SUMO WRESTLER2"/>

<pointofview keyword="SUMO WRESTLER3"/>

<pointofview keyword="SUMO WRESTLER4"/>

<pointofview keyword="SUMO WRESTLER5"/>

<pointofview keyword="SUMO NAME"/>

<pointofview keyword="WIN-LOSS RECORD"/>

<pointofview keyword="VIDEO"/>

</povlist>

<section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">

<pointofview keyword="SUMO WRESTLER0"/>

A STATE OF THE STA

```
<pointofview keyword="SUMO WRESTLER1"/>
</povlist>
<povvalue>
  <priority value="5"/>
  <priority value="5"/>
</povvalue>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="1"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <pri>oriority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
```

```
</povvalue>
  <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
 <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
    <povvalue>
      <priority value="1"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
```

```
</povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="3"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
    <povvalue>
      <priority value="3"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="1"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
```

A Share James

```
<pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri><priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
```

A STATE OF THE STA

```
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
```

· Aller of the

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="2"/>
    <priority value="2"/>
  </povvalue>
  <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
     <pointofview keyword="SUMO WRESTLER1"/>
```

· Aller James

```
</povlist>
<povvalue>
  <priority value="4"/>
  <priority value="4"/>
</povvalue>
<segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="1"/>
  </povvalue>
</segment>
<segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <pri><pri>ority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/.>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
```

Company of the second

```
<priority value="0"/>
  </povvalue>
  <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="3"/>
    <priority value="3"/>
  </povvalue>
  <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="3"/>
      <priority value="3"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>-
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
```

A STATE OF THE PARTY

```
<priority value="0"/>
    <priority value="0"/>
  </powalue>
</segment>
<segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</seament>
<segment start="smpte=00:03:33:16" end="smpte=00:03:47:00">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:47:01" end="smpte=00:03:58:14">
  <povvalue>
    <pri><priority value="4"/>
    <pri><priority value="0"/>
    <priority value="0"/>
    <pri><priority value="0"/>
    <pri><priority value="0"/> .
    <priority value="0"/>
    <pri><priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:03:58:15" end="smpte=00:04:12:27">
  <povvalue>
    <priority value="0"/>
    <priority value="4"/>
```

Mary Mary Mary

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
 </povvalue>
  <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri><priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
    <povvalue>
```

1 All Marie Marie

```
<priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
  <povvalue>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
  <povlist>
    <pointofview keyword="SUMO WRESTLER0"/>
    <pointofview keyword="SUMO WRESTLER1"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <pri>ority value="5"/>
  </povvalue>
</segment>
<segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

```
<priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
    </povvalue>
  </segment>
</section>
<section>
  <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
  </segment>
</section>
<section>
  <povvalue>
    <priority value="5"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25">
    <povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01">
```

```
<povvalue>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri><priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </seament>
  <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
    <povvalue>
       <priority value="5"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
```

A Mary John

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
  <povvalue>
    <priority value="5"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
```

```
</povvalue>
    </segment>
  </section>
  <section>
    <povvalue>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <pri><priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
    </segment>
    <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
    </segment>
  </section>
</section>
<section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="5"/>
    <priority value="5"/>
  </povvalue>
  <section>
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="5"/>
      <priority value="5"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
    <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
      <powalue>
```

· Aller James

```
<priority value="0"/>
       <priority value="0"/>
       <priority value="5"/>
       <priority value="5"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="3"/>
    <priority_value="0"/>
  </povvalue>
  <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="3"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="2"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
```

· All Andrew

```
<priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
    <povvalue>
      <pri><priority value="2"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
    <povvalue>
       <priority value="0"/>-
       <priority value="0"/>
       <priority value="4"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
       <priority value="0"/>
    </povvalue>
```

```
</segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
  <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
```

```
<priority value="0"/>
    </povvalue>
  </segment>
</section>
<section>
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <pri><priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
    <povvalue>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="4"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
```

```
</povvalue>
</segment>
<segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
  <povlist>
    <pointofview keyowrd="SUMO WRESTLER2"/>
    <pointofview keyword="SUMO WRESTLER3"/>
  </povlist>
  <povvalue>
    <priority value="4"/>
    <priority value="4"/>
  </povvalue>
</segment>
<segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="0"/>
```

```
FIG. 220
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
      </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
        <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="5"/>
        <priority value="5"/>
      </povvalue>
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
           <priority value="5"/>
           <priority value="5"/>
        </powalue>
      </segment>
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
```

```
<priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
      <priority value="0"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
  <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="4"/>
      <priority value="4"/>
    </povvalue>
  </segment>
</section>
<section>
  <povvalue>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
    <priority value="4"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="0"/>
    <priority value="4"/>
  </povvalue>
  <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
    <povvalue>
      <priority value="0"/>
```

Ì

```
<priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
        </povvalue>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
        <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
          <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>.
           <priority value="0"/>
        </povvalue>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
      </segment>
    </section>
  </section>
</contents>
```

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

```
<!ELEMENT contents
                        (povlist?, section+)>
                                    CDATA
                                                 #REQUIRED
                        contents-id
            contents
<!ATTLIST
                        title
                                    CDATA
                                                 #REQUIRED
                                    NMTOKEN
                                                 #REQUIRED>
                        runtime
                        (pointofview+)>
<!ELEMENT povlist</pre>
<!ELEMENT pointofview
                        EMPTY>
            pointofview
                        keyword
                                    CDATA
                                                 #REQUIRED>
<!ATTLIST
                        (povlist?,povvalue?,(section+|segment+))>
<!ELEMENT section
            section
                        caption
                                    CDATA
                                                 #IMPLIED>
<!ATTLIST
                        (priority+)>
<!ELEMENT povvalue</pre>
                        EMPTY>
<!ELEMENT priority
                        (povlist?,povvalue?,dominant-data)>
<!ELEMENT segment
                                    CDATA
                                                 #REQUIRED
                        start
<!ATTLIST
           segment
                                    CDATA
                                                 #REQUIRED>
                        end
<!ELEMENT dominant-data EMPTY>
                                    NMTOKEN
                                                 #IMPLIED
            dominant-data frame-no
<!ATTLIST
                                    CDATA
                                                 #IMPLIED
                        start
                                                 #IMPLIED
                                    CDATA
                        end
                                    CDATA
                                                 #IMPLIED>
                        locator
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD <?xml version="1.0" encoding="euc-jp"?> <!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra m13.dtd">

```
<contents contents-id="urn:upi:nhk:12345" title="GROUND SUMO
TOURNAMENT" runtime="11:42">
```

```
<pointofview keyword="SUMO WRESTLER0"/>
<pointofview keyword="SUMO WRESTLER1"/>
<pointofview keyowrd="SUMO WRESTLER2"/>
<pointofview keyword="SUMO WRESTLER3"/>
<pointofview keyword="SUMO WRESTLER4"/>
<pointofview keyword="SUMO WRESTLER5"/>
<pointofview keyword="SUMO NAME"/>
<pointofview keyword="SUMO NAME"/>
<pointofview keyword="WIN-LOSS RECORD"/>
```

The state of the s

```
<pointofview keyword="VIDEO"/>
  </povlist>
  <section caption="SUMO WRESTLER0 VS. SUMO WRESTLER1">
    <povlist>
      <pointofview keyword="SUMO WRESTLER0"/>
      <pointofview keyword="SUMO WRESTLER1"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <pri><priority value="5"/>
    </povvalue>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="1"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:00:00" end="smpte=00:00:04:17">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp01.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma01.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
      <segment start="smpte=00:00:04:18" end="smpte=00:00:09:08">
```

```
FIG. 225
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp02.gi"</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma02.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:09:09" end="smpte=00:00:14:13">
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp03.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma03.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19">
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
           <priority value="3"/>
           <priority value="3"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp04.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma04.m</pre>
p3"/>
```

C BEN FOR

```
</segment>
      <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19">
         <powalue>
           <priority value="1"/>
           <priority value="0"/>-
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp05.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma05.m"</pre>
p3"/>
      </seament>
      <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp06.gi"</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma06.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <pri><priority value="3"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
```

A Mary Mary

```
</povvalue>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp07.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma07.m</pre>
p3"/>
      </segment>
      <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11">
         <povvalue>
           <priority value="3"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="1"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:31:20" end="smtpe=00:00:</pre>
35:05"/>
      </segment>
    </section>
    <section>
      <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
         <priority value="3"/>
         <priority value="3"/>
      </povvalue>
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20">
```

```
<povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp08.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma08.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
        <priority value="0"/>
         <pri><pri>ority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:00:47:00" end="smpte=00:00:</pre>
50:03"/>
      </segment>
    </section>
    <section>
      <povlist>
```

```
<pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
       <povvalue>
         <priority value="3"/>
         <priority value="3"/>
       </povvalue>
       <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="3"/>
           <priority value="3"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp09.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma09.m"</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="5"/>
        <priority value="5"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14">
        <povvalue>
           <priority value="5"/>
           <priority value="5"/>
          <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
```

Company of the Company

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp10.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma10.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
      <povlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
       </povlist>
      <povvalue>
         <priority value="2"/>
         <priority value="2"/>
      </povvalue>
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20">
         <dominant-data start="smpte=00:01:15:20" end="smpte=00:01:</pre>
19:03"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri><priority value="0"/>
         <priority value="3"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:01:24:21" end="smpte=00:01:39:26">
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <pri>priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
```

```
<priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp11.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma11.m</pre>
p3"/>
      </segment>
    </section>
    <section>
     vlist>
         <pointofview keyword="SUMO WRESTLER0"/>
         <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:01:39:27" end="smpte=00:01:52:09">
        <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
           <priority value="4"/>
           <priority value="1"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp12.gi"</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma12.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:01:52:10" end="smpte=00:02:02:16">
        <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
```

A Comment of the Comm

```
FIG. 232
         <dominant-data start="smpte=00:01:52:20" end="smpte=00:01:</pre>
55:10"/>
      </segment>
      <segment start="smpte=00:02:02:17" end="smpte=00:02:31:09">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <pri>ority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp13.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma13.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:02:31:10" end="smpte=00:02:47:18">
         <povvalue>
           <pri><priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri>ority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:31:20" end="smpte=00:02:</pre>
38:11"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
```

<priority value="0"/>

</povvalue>

```
<segment start="smpte=00:02:47:19" end="smpte=00:02:59:03>
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:47:25" end="smpte=00:02:</pre>
48:02"/>
      </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:02:59:04" end="smpte=00:03:07:14">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:02:59:10" end="smpte=00:03:</pre>
02:12"/>
      </segment>
    </section>
```

Company of the

```
<section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="3"/>
        <priority value="3"/>
      </povvalue>
      <segment start="smpte=00:03:07:15" end="smpte=00:03:13:28">
        <povlist>
          <pointofview keyword="SUMO WRESTLER0"/>
          <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
          <priority value="3"/>
          <priority value="3"/>
        </povvalue>
        <dominant-data start="smpte=00:03:08:12" end="smpte=00:03:</pre>
10:20"/>
      </segment>
      <segment start="smpte=00:03:13:29" end="smpte=00:03:21:28">
        <povvalue>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:03:15:10" end="smpte=00:03:</pre>
18:03"/>
      </segment>
      <segment start="smpte=00:03:21:29" end="smpte=00:03:33:15">
        <povvalue>
          <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
```

<priority value="0"/>

# FIG. 235 <priority value="0"/> <priority value="0"/> <priority value="0"/> </povvalue> <dominant-data start="smpte=00:03:22:08" end="smpte=00:03:</pre> 25:02"/> </segment> <segment start="smpte=00:03:33:16" end="smpte=00:03:47:00"> <povlist> <pointofview keyword="SUMO WRESTLER0"/> <pointofview keyword="SUMO WRESTLER1"/> </povlist> <povvalue> <priority value="4"/> <priority value="4"/> </povvalue> <dominant-data start="smpte=00:03:35:09" end="smpte=00:03:</pre> 38:21"/> </segment> <segment start="smpte=00:03:47:01" end="smpte=00:03:58:14"> <povvalue> <priority value="4"/> <pri><priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <pri><priority value="0"/> </povvalue> <dominant-data start="smpte=00:03:48:00" end="smpte=00:03:</pre> 51:17"/> </segment> <segment start="smpte=00:03:58:15" end="smpte=00:04:12:27"> <povvalue> <priority value="0"/> <priority value="4"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/> <priority value="0"/>

<priority value="0"/>

```
FIG. 236
           <priority value="0"/>
        </povvalue>
         <dominant-data start="smpte=00:03:59:02" end="smpte=00:04:</pre>
01:07"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyword="SUMO WRESTLER0"/>
        <pointofview keyword="SUMO WRESTLER1"/>
      </povlist>
      <povvalue>
        <priority value="5"/>
        <priority value="5"/>
      </povvalue>
      <segment start="smpte=00:04:12:28" end="smpte=00:04:20:01">
        <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
        </povlist>
        <povvalue>
           <priority value="4"/>
           <priority value="4"/>
        </povvalue>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp14.gi</pre>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma14.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:04:20:02" end="smpte=00:04:31:05">
        <powalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
```

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp15.gi</pre>

f"/>

<priority value="0"/>

</povvalue>

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma15.m"</p>
p3"/>
       </segment>
       <segment start="smpte=00:04:31:06" end="smpte=00:04:34:28">
         <povvalue>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp16.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma16.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:04:34:29" end="smpte=00:04:37:06">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp17.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma17.m"</p>
p3"/>
      </segment>
       <segment start="smpte=00:04:37:07" end="smpte=00:04:57:05">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
```

```
<priority value="5"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp18.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma18.m"</pre>
p3"/>
       </seament>
       <segment start="smpte=00:04:57:06" end="smpte=00:05:00:02">
         <povvalue>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp19.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma19.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:00:03" end="smpte=00:05:02:06">
         <povlist>
           <pointofview keyword="SUMO WRESTLER0"/>
           <pointofview keyword="SUMO WRESTLER1"/>
         </povlist>
         <povvalue>
           <priority value="5"/>
           <priority value="5"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp20.gi"</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma20.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <segment start="smpte=00:05:02:07" end="smpte=00:05:04:16">
         <dominant-data start="smpte=00:05:03:02" end="smpte=00:05:</pre>
02:20"/>
       </segment>
```

# FIG. 239 </section> <section> <povvalue> <priority value="5"/> <priority value="0"/> </povvalue> <segment start="smpte=00:05:04:17" end="smpte=00:05:13:25"> <povvalue> <priority value="5"/> <priority value="0"/> </povvalue> <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp21.gi</pre> f"/> <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma21.m</pre> p3"/> </segment> <segment start="smpte=00:05:13:26" end="smpte=00:05:17:01"> <povvalue> <priority value="5"/> <priority value="0"/> <priority value="0"/>

<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp22.gi</p>

Company of the Committee of the Committe

</povvalue>

f"/>

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma22.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:17:02" end="smpte=00:05:23:21">
         <povvalue>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp23.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma23.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
       </povvalue>
       <segment start="smpte=00:05:23:22" end="smpte=00:05:44:15">
         <povvalue>
           <priority value="5"/>
           <priority value="4"/>
           <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <pri><priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
```

```
</povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp24.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma24.m</pre>
p3"/>
       </segment>
       <segment start="smpte=00:05:44:16" end="smpte=00:05:50:27">
         <povvalue>
            <priority value="5"/>
            <priority value="4"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp25.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma25.m</p>
p3"/>
       </segment>
       <segment start="smpte=00:05:50:28" end="smpte=00:06:08:15">
         <povvalue>
            <pri><pri>ority value="4"/>
            <priority value="4"/>
            <priority value="0"/>
            <pri>ority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp26.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma26.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:06:08:16" end="smpte=00:06:18:05">
          <povvalue>
            <pri><pri>ority value="4"/>
            <priority value="4"/>
```

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp27.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma27.m</p>
p3"/>
      </segment>
    </section>
    <section>
      <povvalue>
        <priority value="4"/>
        <pri>ority value="0"/>
        <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:06:18:06" end="smpte=00:06:24:04">
         <dominant-data start="smpte=00:06:18:25" end="smpte=00:06:</pre>
20:17"/>
      </segment>
      <segment start="smpte=00:06:24:05" end="smpte=00:06:41:04">
         <dominant-data start="smpte=00:06:25:01" end="smpte=00:06:</pre>
30:11"/>
      </segment>
    </section>
  </section>
  <section caption="SUMO WRESTLER2 VS. SUMO WRESTLER3">
    <povlist>
      <pointofview keyowrd="SUMO WRESTLER2"/>
      <pointofview keyword="SUMO WRESTLER3"/>
    </povlist>
    <povvalue>
      <priority value="5"/>
      <priority value="5"/>
```

· Aller John

```
</povvalue>
     <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="5"/>
         <priority value="5"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <pri><priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:06:18:05" end="smpte=00:07:00:24">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="5"/>
           <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <pri><priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp28.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma28.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri><priority value="3"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:00:25" end="smpte=00:07:15:21">
        <povvalue>
```

The state of the s

```
<priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <pri>oriority value="0"/>
           <priority value="0"/>
           <priority value="3"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp29.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma29.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="2"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:15:22" end="smpte=00:07:39:26">
         <povvalue>
           <priority value="2"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data start="smpte=00:07:16:05" end="smpte=00:07:</pre>
18:23"/>
       </segment>
    </section>
```

```
FIG. 245
```

```
<section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
      </povvalue>
      <segment start="smpte=00:07:39:27" end="smpte=00:07:46:02">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="4"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
        </povvalue>
        <dominant-data start="smpte=00:07:41:28" end="smpte=00:07:</pre>
43:01"/>
      </segment>
    </section>
    <section>
      <povlist>
        <pointofview keyowrd="SUMO WRESTLER2"/>
        <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
      <povvalue>
        <priority value="4"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:07:46:03" end="smpte=00:07:53:17">
        <povlist>
          <pointofview keyowrd="SUMO WRESTLER2"/>
          <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
          <priority value="4"/>
          <priority value="4"/>
```

and the second

```
FIG. 246
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp30.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma30.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povvalue>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="4"/>
         <priority value="0"/>
         <priority value="0"/>
         <priority value="0"/>
         <pri><priority value="0"/>
         <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:07:53:18" end="smpte=00:08:01:21">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <pri>ority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp31.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma31.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
       <povlist>
         <pointofview keyowrd="SUMO WRESTLER2"/>
         <pointofview keyword="SUMO WRESTLER3"/>
       </povlist>
      <povvalue>
         <priority value="4"/>
         <priority value="4"/>
```

```
</povvalue>
       <segment start="smpte=00:08:01:22" end="smpte=00:08:18:02">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp32.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma32.m"</pre>
p3"/>
      </segment>
       <segment start="smpte=00:08:18:03" end="smpte=00:08:39:05">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <pri><priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp33.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma33.m"</pre>
</"Eq
      </segment>
      <segment start="smpte=00:08:39:06" end="smpte=00:08:47:06">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp34.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma34.m</pre>
p3"/>
```

Company of the Comment of the Commen

```
</segment>
       <segment start="smpte=00:08:47:07" end="smpte=00:09:03:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp35.gi"</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma35.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:03:28" end="smpte=00:09:07:20">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp36.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma36.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:07:21" end="smpte=00:09:16:26">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
       , </povvalue>
```

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp37.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma37.m</p>
p3"/>
      </segment>
      <segment start="smpte=00:09:16:27" end="smpte=00:09:20:25">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp38.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma38.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:20:26" end="smpte=00:09:22:27">
         <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp39.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma39.m</pre>
p3"/>
      </segment>
    </section>
    <section>
      <povlist>
         <pointofview keyowrd="SUMO WRESTLER2"/>
         <pointofview keyword="SUMO WRESTLER3"/>
      </povlist>
```

The state of the s

```
<povvalue>
         <priority value="5"/>
         <priority value="5"/>
      </povvalue>
      <segment start="smpte=00:09:22:28" end="smpte=00:09:48:11">
        <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
        <povvalue>
           <priority value="5"/>
           <priority value="5"/>
        </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp40.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma40.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:48:12" end="smpte=00:09:51:27">
        <povvalue>
           <priority value="0"/>
          <priority value="0"/>
           <priority value="5"/>.
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
          <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
        </povvalue>
         <dominant-data Tocator="http://mserv.trl.mei.co.jp/DMV/dmp41.gi</p>
f"/>
        <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma41.m"</pre>
p3"/>
      </segment>
      <segment start="smpte=00:09:51:28" end="smpte=00:09:57:01">
        <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
        </povlist>
         <povvalue>
           <pri>ority value="4"/>
           <priority value="4"/>
         </povvalue>
```

The form

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp42.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma42.m"</pre>
p3"/>
       </segment>
       <segment start="smpte=00:09:57:02" end="smpte=00:10:12:21">
         <povlist>
           <pointofview keyowrd="SUMO WRESTLER2"/>
           <pointofview keyword="SUMO WRESTLER3"/>
         </povlist>
         <povvalue>
           <priority value="4"/>
           <priority value="4"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp43.gi</p>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma43.m"</pre>
p3"/>
     </segment>
    </section>
    <section>
      <povvalue>
         <priority value="0"/>
         <priority value="0"/>
        <priority value="4"/>
        <priority value="4"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="0"/>
        <priority value="4"/>
      </povvalue>
      <segment start="smpte=00:10:12:22" end="smpte=00:10:41:17">
        <povvalue>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
           <priority value="4"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="4"/>
        </povvalue>
```

ļ

```
<dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp44.gi</pre>
 f"/>
          <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma44.m"</pre>
 p3"/>
        </segment>
     </section>
     <section>
       <povvalue>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="5"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
          <priority value="0"/>
       </povvalue>
       <segment start="smpte=00:10:41:18" end="smpte=00:11:28:17">
         <povvalue>
            <priority value="0"/>
            <priority value="0"/>
            <priority value="5"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
           <priority value="0"/>
         </povvalue>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMV/dmp45.gi</pre>
f"/>
         <dominant-data locator="http://mserv.trl.mei.co.jp/DMA/dma45.m"</pre>
p3"/>
       </segment>
    </section>
    <section>
      <segment start="smpte=00:11:28:18" end="smpte=00:11:41:29">
         <dominant-data start="smpte=00:11:29;13" end="smpte=11:32:2"</pre>
1"/>
       </segment>
    </section>
  </section>
</contents>
```